2025 WHERE TO BUY

HARDWOOD PLYWOOD, VENEER, & ENGINEERED HARDWOOD FLOORING



DECORATIVE HARDWOODS ASSOCIATION MEMBERSHIP DIRECTORY

www.decorativehardwoods.org

formerly the Hardwood Plywood & Veneer Association®



















Select Your Veneer



Choose Your Finish



Specify Machining



States Industries invented ApplePly® and we do a whole lot more, too. With our unique capabilities in panel manufacturing, you can specify every detail of your custom hardwood plywood to create the perfect panel for your next project. Additional options include NOVA flat line finishing and component manufacturing.

Specified by you. Built for you.



INTRODUCTION

Warm Natural Beauty | Sustainably Sourced | Safe | Legal

The Decorative Hardwoods Association (DHA) began its second century in 2022. This directory of our members describes our diverse membership of North American hardwood plywood, engineered wood flooring, and hardwood veneer manufacturers and suppliers. Now is a great time to be a member of DHA. We are advertising decorative hardwoods directly to consumers and the design community and defending the definition of "real wood." If you are not yet a member and your company manufactures, supplies, or distributes decorative hardwoods, learn more about the benefits of becoming a DHA member on our website or contact DHA President, Keith Christman, at kchristman@decorativehardwoods.org.

This 2025 edition of *Where to Buy* showcases all of our members and their products, including their locations and contact information. This award-winning directory makes it easy to specify and purchase American-made products, certified to American standards. These American engineered hardwood products are the natural, beautiful choice that you can trust.

Our 15,000-square-foot state-of-the-art testing facility and association office is located in Sterling, VA, next to Dulles International Airport. Capital Testing and Certification Services, which offers technical services to our members and to nonmembers, continues to be the recognized expert in engineered hardwood products and other building and consumer products. Our lab provides a wide range of fire, physical property, and formaldehyde testing and certification.

Our website continues to set new records for the number of visitors each year. The biweekly *eNews* reaches more than 10,000

DECORATIVE HARDWOODS ASSOCIATION

42777 Trade West Drive Sterling, VA 20166 Phone: (703) 435-2900 Fax: (703) 435-2537

E-mail: resources@decorativehardwoods.org

www.decorativehardwoods.org

DHA PROFESSIONAL STAFF

Keith Christman, President Eva Mentel, Office Manager

CAPITAL TESTING PROFESSIONAL STAFF

Josh Hosen, Managing Director
Chris Palumbo, Senior Manager of Product Testing
Patrick Dwyer, Physical Properties Lab Manager
Chris Kaiser, Lab Tech II—Fire Testing
James Fishenden, Lab Tech I—Formaldehyde Emissions Testing
Victoria Gastrock, Lab Tech I—Fire Testing
Tony Norris, Test Engineer—Fire Testing
David Conge, Lab Tech I—Physical Testing

readers with diverse, pertinent news tailored for our industry and its customers. DHA sponsors three national consensus standards: the newly revised standard for hardwood plywood (ANSI/HPVA HP-1-2024), the standard for engineered wood flooring (ANSI/HPVA EF 2020), and a due diligence management system for sourcing legal timber (ANS LTDD 2.0 2023). DHA also launched a continuing education program that has been completed by more than 3,250 architects and designers.

In addition, DHA believes in maintaining the integrity of products marketed as wood. We have successfully pursued challenges against the misleading marketing of fake products that claim to be wood but are merely laminated paper or plastic.

If you are looking for natural and amazingly beautiful products that have stood the test of time—<u>and deliver climate benefits</u>, you have come to the right place.

Kyle Evans
Mullican Flooring
2024–2025 DHA Chairman of the Board



DHA is a member of the following organizations:

American Forest & Paper Association

American Wood Council


American Hardwood Export Council

American Society of Testing & Materials

ANSI

Forest Resources Association
Hardwood Forestry Fund
Hardwood Federation
International Code Council
National Fire Protection Association
Real American Hardwood Coalition

Experience custom hardwood plywood as unique as you



Our specialty lies in our extensive collection of over 100 natural and engineered veneers, all meticulously spliced in-house. Whether you're drawn to the timeless elegance of natural wood or the consistency of engineered veneers, we've got you covered.

We offer versatility like no other with thicknesses ranging from 1/8" to 2", and sizes up to 5'x 12'.



Hwy 17, Thessalon, ON, P0R1L0

Toll Free: 1-800-461-2226 Local: 705-842-2430

birchlandplywood.com





Color Key to Sections

Hardwood Plywood - Cut/Made-To-Size	11-15
Engineered Hardwood Flooring Manufacturers	17-19
Hardwood Plywood - Prefinished	21-26
Hardwood Plywood - Stock Panels	27-37
Veneer - Rotary	39-44
Veneer - Sliced	46-52
Veneer - Spliced	54-59
Distributors of Hardwood Plywood	60-63
Supplier Manufacturers and Distributors	64-77
Associate Members	78
Adhesive Manufacturers	80-81
Introduction to the Decorative Hardwoods Association	3
DHA Member Listing, Membership Category, Advertising Page	6-7
DHA Member Listing by Major Product Category	8-9
Association Profile	53
Environmental Certification Codes and Wood Species List	10
Environmental Certification Codes and Wood Species List Facts About Decorative Hardwood Veneers	
	16

[©] 2025 by the Decorative Hardwoods Association. All rights reserved. Federal law prohibits the unauthorized reproduction, distribution, or exhibition of copyrighted materials.



DHA Member Company, Membership Category (Advertising Page)

A special thanks to the advertising member companies listed in orange

AFKT Management, Associate Member	
AHF Products, Flooring	18
Altamont Company, Associate Member	78
Altec, Precision Machinery & Controls	65
Arclin, Supplier	65
Armstrong World Industries – Ceiling Division, Associate Member	
Atlantic Veneer Corp., Rotary, Slicer	40, 47
Birchland Plywood-Veneer Ltd., Slicer, Splicer (See our ad on page 4)	47, 55
Cahaba Veneer & Plywood, Inc., Cut-To-Size, Stock Panel, Rotary, Slicer	12, 28, 40, 47
Cargill Bioindustrial, Supplier	
Chesterfield Wood Products Inc., Stock Panel	28
Clarke Veneers and Plywood, Rotary, Splicer	40, 55
Columbia Forest Products, Cut-To-Size Prefinished, Stock Panel, Rotary, Slicer (See our ad on page 41)13	2,22-24,28-31,41,48
Commonwealth Plywood, Stock Panel, Rotary	32, 42
CSS Belts, Supplier	
Danzer Specialty Veneer (DSV), Slicer (See our ad on page 82)	48
Danzer Veneer Americas - East and West, <i>Slicer</i> (See our ad on page 82)	49
Danzer Canada Inc., Splicer (See our ad on page 82)	55
Darlington Veneer Co., Inc., Stock Panel	
Eastern Panel Manufacturing Inc., Cut-To-Size	12
Eldcan Forest Products Ltd., Slicer, Splicer	50, 56
Fessenden Hall, Inc., Distributor	61
Fisher + Rückle Service, Inc., Machinery Manufacturer	66
Forcey Lumber & Veneer Co., Slicer	50
Franklin Adhesives & Polymers, Adhesives & Polymers Manufacturer	67, 81
The Freeman Corp., Rotary, Slicer	42, 50
From the Forest, Flooring	18
GL Veneer Co., Inc., Cut-To-Size, Stock Panel	13, 32
Great Lakes Veneer, Cut-To-Size, Rotary, Slicer, Splicer	13, 42, 51, 56
Grenzebach Corp., Machinery Manufacturer (See our ad on page 68)	68
Hardwood Industries Inc., <i>Distributor</i>	62
Heinrich Kuper GmbH, Machinery Manufacturer	69
Hexion Inc., Adhesives and Resins Manufacturer (See our ad on page 79)	70, 80
Howell Hardwood Flooring, Flooring	
Husky Plywood, Stock Panel	
Industrie Ergie Inc., Splicer	
J.M. Longyear, LLC, Supplier	
Kimball International, Inc., Associate Member	
Laminate Technologies Inc., Cut-To-Size, Stock Panel	
Les Boises La Fleur Inc., Slicer, Splicer (See our ad on page 57)	51, 57



DHA Member Company, Membership Category (Advertising Page)

A special thanks to the advertising member companies listed in orange

Lignum Veneer, Splicer	58
Manthei Wood Products, Stock Panel, Rotary, Splicer	
McCathay Timber, Inc., HWPW/Veneer Sales Agent	43, 51
Meinan Machinery Works, Inc., Machinery Manufacturer	
Mercier Wood Flooring, Flooring	18
Merritt Machinery, LLC, Machinery Manufacturer	
Moehring-Group, Rotary, Slicer, Splicer	40, 47, 59
Mullican Flooring, Flooring	
Murphy Company, Cut-To-Size, Prefinished, Stock Panel (See our ad on page 35)	14, 24, 35
North Carolina State University, Associate Member	
Numatic Finishing Corp., Wood Prefinishing	
Nydree Flooring LLC, Flooring	19
Patrick Industries, Associate Member	
The Penrod Company/St-Raymond Veneers Inc., Rotary, Splicer (See our ad on page 1)	43, 58
Pittsburgh Forest Products Co., Distributor	63
Premiere Finishing & Coating, Supplier	
Raute Corp., Machinery Manufacturer	
Rocket Industrial, Supplier	
Rockshield Engineered Wood Products ULC, Stock Panel	
Roddis Lumber & Veneer Co. LP., Distributor	63
Roseburg Forest Products Co., Prefinished, Stock Panel	25, 36
S.J. Morse Company, <i>Cut-To-Size</i>	
Shaw Hard Surfaces, Flooring	19
Sherwin-Williams, Supplier	73
Siemer Milling Company, Additives & Extenders Manufacturer (See our ad on page 74)	
SparTek Industries, Supplier	75
Specialty Organics, Inc., Adhesives Manufacturer	75, 8
States Industries LLC, Cut-To-Size, Prefinished, Stock Panel (See our ad on page 2)	15, 25, 36
St-Raymond Veneers Inc./The Penrod Company, <i>Rotary, Splicer</i> (See our ad on page 1)	43, 58
Stiles Machinery, Machinery Manufacturer	76
Taihei Machinery Works, Ltd., Machinery Distributor/Manufacturer	
Timber Products Company, Prefinished, Stock Panel, Rotary, Splicer	26, 37, 44, 59
Townsend Flooring Inc., Flooring	
Venango Machine Co., Supplier	
Veneer Technologies, Inc. (Moehring Group), Splicer	59
Vermont Wildwoods, Slicer	
Vinavil Americas, Adhesives Manufacturer	
West Fraser, Manufacturer	
Westmill Industries USA Corp, Dryer Parts Supplier & Dryer Rebuilder	
The Wood Gallery, Inc., Cut-To-Size, Stock Panel	15, 37



DHA MEMBERS BY MAJOR PRODUCT CATEGORY

HARDWOOD PLYWOOD MANUFACTURERS

12, 28
28
28,29,30,31
32
32
12
13, 32
13
33
13, 33
34
14, 24, 35
36
25, 36
14
15, 25, 36
26, 37
15, 37

ENGINEERED HARDWOOD FLOORING

AHF Products	18
From The Forest	18
Howell Hardwood Flooring	18
Mercier Wood Flooring	18
Mullican Flooring	19
Nydree Flooring LLC	19
Shaw Hard Surfaces	19
Townsend Flooring Inc.	19

VENEER MANUFACTURERS AND SALES COMPANIES/SALES AGENTS

Atlantic Veneer Corp.	40, 47
Birchland Plywood-Veneer Ltd.	47, 55
Cahaba Veneer & Plywood, Inc.	40, 4
Clarke Veneers and Plywood	40, 55
Columbia Forest Products	41, 4
Commonwealth Plywood Co., Ltd.	42
Danzer Specialty Veneer (DSV)	48
Danzer Veneer Americas	49
Danzer Canada Inc.	55
Eldcan Forest Products Ltd.	50, 56
Forcey Lumber & Veneer Co	50
The Freeman Corp.	42, 50
Great Lakes Veneer	42, 51, 56
Industrie Ergie Inc	56
Les Boises La Fleur Inc.	51, 57
Lignum Veneer	58
Manthei Wood Products	43, 58
McCathay Timber, Inc.	43, 51
Moehring-Group	40, 47, 59
The Penrod Co./St-Raymond Veneers	43, 58
St-Raymond Veneers/The Penrod Co	43, 58
Timber Products Company	44, 59
Veneer Technologies Inc.	59
Vermont Wildwoods	52



WHOLESALE STOCKING DISTRIBUTORS

Fessenden Hall, Inc.	6
Hardwood Industries.	62
Pittsburgh Forest Products Co.	63
Roddis Lumber & Vanger Co. LP	63

SUPPLIER DIVISION MANUFACTURERS AND SALES COMPANIES/SALES AGENTS

Aitec		00
Arclin		65
Cargill Bioindustrial		65
CSS Belts		66
Fisher + Rückle Service, Inc.		66
Franklin Adhesives & Polymers	67,	81
Grenzebach Corp.	<u>-</u>	68
Heinrich Kuper GmbH		69
Hexion Inc.	70,	80
J.M. Longyear LLC.		70
Meinan Machinery Works, Inc.		71
Merritt Machinery, LLC		71
Numatic Finishing Corp.		71
Premiere Finishing & Coating		72
Raute Corp		72
Rocket Industrial		72
Sherwin-Williams	<u>.</u>	73
Siemer Milling Company		74
SparTek Industries		75
Specialty Organics Inc.	75,	81
Stiles Machinery.		76
Taihei Machinery Works, Ltd.		76
Venango Machine Co.	<u>.</u>	76
Vinavil Americas	76,	81
West Fraser		77
Westmill Industries USA Corp.	<u>.</u>	77
ASSOCIATE MEMBERS		
AFRY Management		78
Altamont Company		78
Armstrong World Industries – Ceiling Division	<u>.</u>	78
Kimball International, Inc.		78
North Carolina State University	<u>.</u>	78
Patrick Industries		78



ENVIRONMENTAL CERTIFICATION CODES & WOOD SPECIES LIST

ENVIRONMENTAL CERTIFICATION CODES

F - FSC

Forest Stewardship Council Certified

S – SFI

Sustainable Forestry Initiative Certified

0

Other Environmental Certifications

WOOD SPECIES

NORTH AMERICAN

Alder

Ash, Black/White

Aspen Baldcypress Basswood

Beech Birch Butternut

Cedar, Red/Western

Cherry

Coffeetree, Kentucky

Cordia Cypress Douglas Fir

Elm Gum Hackberry Hemlock

Hickory Holly Koa

Madrona Maple, Hard/Soft

Myrtle Oak, Red/White

Pecan

Persimmon

Poplar Redwood Sassafras Satine Spruce Sweetgum Sycamore

Tupelo Walnut, American/Claro

Willow, Black

Tulipwood

Yew

AFRICAN

Afrormosia Anegre

Avodire

Bubinga (Rosewood)

Cameron Doussie Ebony Etimoe Fuma

Iroko Khaya (African Mahogany)

Korina

Koto (African Chestnut)

Limba Makore Mahogany Movingui Mozambique

(Amazaque, Ovangkol) Okoume

Padauk Samba (Obeche) Sapele

Wenge Zebrawood

EUROPEAN

Beech Cypress Elm, Carpathian Larch Oak, Bog

Oak, English Brown

Oak, European White/Spessart Sycamore

Walnut Yew

ASIAN (FIJI, INDIA, PHILIPPINES, SE ASIA, ETC.)

Apitong Dakua (Fiji Birch) Damanu (Fiji Cedar)

Jelutong

Kaudamu (Fiji Oak) Kauvula (Fiji Ramin)

Keruing

Luan, Philippine Laurel, East Indian

Mengkulang Meranti Mersawa Paldao Ramin

Rosewood, East Indian

Rubberwood Satinwood

Sen (Japanese Ash)

Sonora Tamo Teak

SOUTH AMERICAN/ CENTRAL AMERICAN

Canelo Cativo Ceiba

Coigue

Eucalyptus (Chilean Oak)

Goncalo Alves Grenadillo (Cocobolo)

Imbuia

Jacaranda (Rosewood)

Kelobra Lapuna Laurel, Black (Louro Preto)

Mahogany, Honduras

Olivillo Pau Ferro

Pau Marfim (Guatambu)

Pine
Prima Vera
Sande
Santo Wood
Tawa (Brazilian Oak)
Teak (Plantation)


Tepa Ulmo

AUSTRALIAN

Eucalyptus Lacewood Pine, New Zealand "Oueensland Walnut"



CUT/MADE-TO-SIZE HARDWOOD PLYWOOD



Hardwood plywood cut-to-size and made-to-size by the manufacturer is used for furniture, cabinet components, and specialty products.

- Versatile a variety of shapes and sizes available.
- Can be machined to meet customer needs.
- Eliminates the need to purchase and maintain expensive machinery.
- Reduces waste, inventory, and labor costs.
- Simplifies just-in-time sourcing.
- Customized product increases efficiency and yield.

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
CAHABA VENEER & PLYWOOD, INC (M) Sales: Pete Browder, President P.O. Box 98, 324 Mill St. Centreville, AL 35042 (205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com	48"X 48", 48" X 60" 48" X 72" 48" X 84" 60" X 60" 60" X 72" 60" X 84"	1/4'" - 1-1/8"	CARB NAF PVA Type I PVA Type II TSCA Title VI	Veneer

SPECIES AVAILABLE: Southern – Ash-R, Gum-R, Hickory-R, Red and White Oak-R, Poplar-R, Sycamore-R, Tupelo Gum-R SPECIALTY ITEMS: Cut-To-Size Panels for Furniture, Flooring and CNC Chop Shops

COLUMBIA FOREST PRODUCTS	48" X 96"	1/2" -	CARB	Calibrated Platforms
Old Fort, NC Plant		1-1/8"	Type I	Combination
Sales: John Hampton, Director of Sales			Type II	Veneer
369 Columbia Carolina Road, Old Fort, NC 2	28762		NAF	
(800) 438-6069; (828) 724-4191			TSCA Title VI	

E-mail: <u>jhampton@cfpwood.com</u>
Web: <u>www.cfpwood.com</u>

Environmentally Certified Products Available: FSC® Mix (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal" only [trans shipped from Chatham, VA]

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; CAN/AM® Value Panel; Classic Core®, Classic Lam® combi core; Europly® multiply core; industrial blanks

EASTERN PANEL MANUFACTURING INC.

Keith Van Asch 100 My Twinn Lane Chatham, VA 24531 (434) 432-3055

E-mail: <u>keith@easternpanel.com</u>
Web: <u>www.easternpanel.com</u>

TSCA Title VI

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES THICKNESS GLUE TYPES/ CORE TYPES

AVAILABLE AVAILABLE CAPITAL TESTING

CERTIFICATION

GL VENEER CO., INC.

All sizes All thicknesses TSCA Title VI All cores available

Sales: Jeffrey Levin available available

2224 E. Slauson Ave. Huntington Park, CA 90255

(323) 582-5203; Fax: (323) 582-9681

E-mail: sales@glveneer.com
Web: www.glveneer.com

Environmentally Certified Products Available: F

SPECIES MANUFACTURED: Over 200 species of domestics and exotics

SPECIALTY ITEMS: Live Edge Slabs, Logs, Veneer Faces, Sketch Faces, Exotic Veneer, Blueprint Matched Panels, Architectural Panels, Fire Rated Products, Oversize Plywood, Cut-To-Size Plywood, Custom Plywood, High Pressure Laminates

GREAT LAKES VENEER (M)

All sizes .007" & thicker CARB
Sales: Michael Burkart, Bus. & Prod. Dev. Dir. including custom Type II

 Nick Rogers, Vice President
 TSCA Title VI

 P.O. Box 476, Marion, WI 54950-0476
 ULEF

 (715) 754-2501; Fax: (715) 754-2582
 PVA

E-mail: <u>mike.burkart@greatlakesveneer.com</u>; <u>nrogers@greatlakesveneer.com</u> Phenolic

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: All domestic species

SPECIALTY ITEMS: Ultra-Thin Veneer, Thick Veneer, Cut-to-Size Veneer/Plywood

 LAMINATE TECHNOLOGIES, INC.
 48" X 96"
 1/4" PVA
 MDF

 161 Maule Road, Tiffin, OH 44883
 60" X 72"
 1-1/2"
 TSCA Title VI
 Particleboard

 (419) 448-0812; Fax: (419) 448-0811
 60" X 96"
 ANSI HPVA HP-1
 Veneer

E-mail:sales@lamtech.net 60" X 120" Veneer Core MDF Skins Sales_mserra@lamtech.net; plucius@lamtech.net

Web: www.Lamtech.net Laminated Panels

Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q SPECIALTY ITEMS: Fully machined made to order components, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms, Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Custom Order Panels.

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF - Ultra Low-Emitting Formaldehyde Exempt; Phenolic - Phenol Formaldehyde; PVA - Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
MURPHY COMPANY Hardwood Plywood Division Sales: John Murphy Jr., Executive VP 2350 Prairie Rd., Eugene, OR 97402 (541) 461-4545; Fax: (541) 461-4547 E-mail: sales@murphyplywood.com Web: www.murphyplywood.com	48" X 96" 49" X 97" 48" X 84" 48" X 72"	5/32" - 1-1/4"	ULEF PVA-NAF PVA-Exterior Phenolic ANSI/HPVA HP-1 TSCA Title VI	Veneer MDF Combination Calibrated Particleboard Baltic Birch

Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms Bull-Nosed/Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Sequence Matched and Numbered, Custom Order **Panels**

S.J. MORSE COMPANY	Made-To-	Two-Ply	Type I	Combination
Sales: Nathan Hite, Dale Shaffer	Size up to	Through	Type II	MDF
2736 Northwestern Pike, P.O. Box 600	60" X 144"	3"	PVA	Particleboard

2736 Northwestern Pike, P.O. Box 600

Capon Bridge, WV 26711

(304) 856-3423; Fax: (304) 856-3073

E-mail: info@sjmorse.com Web: www.sjmorse.com

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Any Species on Request-R,H,P,Q,I

SPECIALTY ITEMS: Rainforest Alliance-Audited Chain-of-Custody on FSC Certified Veneer Species, Core Materials and Panels Architectural and Blueprint Sequenced Panels and Doors; Cut-To-Size, Edge-Banded, Internal Lumber, CNC Machining. Burls, Cabinet Doors, Curved/Molded Panels, Doors, Furniture Panels, Table & Desk Tops - Flame Spread Rating A, B, C, 150 Canada

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt;

ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
STATES INDUSTRIES LLC	48" X 120"	5/32" -	Type II	Combination
P.O. Box 41150, Eugene, OR 97404	48" X 96"	1-1/2"	NAF	MDF
(541) 688-7871; Fax: (541) 689-8051	48" X 84"		PVA	Particleboard
(800) 626-1981	48" X 72"		TSCA Title VI	Veneer
E-mail: info@statesind.com	Cut-To-Size		ANSI/HPVA HP-1	
Web: www.statesind.com				

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Anigre-P,Q, Ash-R,P,Q,I, Beech-R,P,Q, Birch-R,P,Q, Imported Birch-R, Butternut-P, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Pine-P, Poplar-R,P, Sapele-P,Q, Sycamore-Q, Walnut-P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Banded, Drawer Sides/Backs Nosed/Grooved, Furniture Panels, Kitchen Cabinet Components, Machined Parts (Shaped), School/Church Components, Stock Panels, TV & Stereo, Table & Desk Tops, Veneer, Veneer - Reconstituted, Veneer/Plywood-Musical Instruments - Flame Spread Rating A, B, C, 150 Canada

THE WOOD GALLERY, INC.	60" X 144"	3/32" -	Type I	Lumber
Sales: Barrett Lee	Cut-To-Size	1-1/2"	Type II	MDF
10724 Goodnight Lane, Dallas, TX 75220-2409			NAUF	Particleboard
(972) 869-9161; Fax: (972) 869-0449			CARB	Veneer
E-mail: barrett@woodgallery.biz			TSCA Title VI	

Environmentally Certified Products Available: FSC, NAUF

Web: www.woodgallery.biz

SPECIES MANUFACTURED: Exotics-R,H,Q, Anigre-P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P,Q, Cedar-P,Q, American Cherry-P,Q, Hickory-P, Honduras Mahogany-P,Q, Maple-H,P,Q, Red & White Oak-P,Q,I, Pecan-P, Pine-P,Q, Poplar-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-P,Q

SPECIALTY ITEMS: Aircraft Applications, Aromatic Cedar Paneling, Furniture Panels, Kitchen Cabinet Components, TV & Stereo, Table & Desk Tops, Veneered Raised Panels - Flame Spread Rating A



FACTS ABOUT DECORATIVE HARDWOOD VENEERS

TYPES OF VENEER CUTS

Depending on the manner in which a log is cut, strikingly different visual effects can be achieved with the wood's grain and characteristics. This is the beauty of working with hardwood veneer - that two logs of the same species, cut in different ways, produce distinctive, individual veneers! Six principal methods of cutting veneer are used: rotary, quarter slicing, plain slicing, rift-cut, half-round slicing and lengthwise slicing.



Rotary

Rotary veneer is produced by centering the log in a lathe and turning it against a broad cutting knife which is set into the log at a slight angle. Rotary cut veneer can be sufficiently wide to provide full sheet (one piece) faces.



Quarter Slicing

Quarter sliced veneer achieves a straight grain appearance by slicing approximately perpendicular to the annual growth rings.



Plain Slicing

Plain sliced veneer is veneer sliced parallel to the center of the log to achieve flat-cut veneer. The cathedrals are formed by the inner most growth rings as the veneer is cut through the flitch.



Rift-Cut

Rift-cut veneer is produced from the various species of oak. Oak has medullary ray cells which radiate from the center of the log like the curved spokes of a wheel. This straight grain cut is at a slight angle to the medullary rays to minimize ray fleck (flake).



Half-Round Slicing

Half-round slicing is cutting on an arch roughly parallel to the center of the log to achieve flat-cut veneer. The cathedrals can have more rounded tops since the grain is formed by the inner most growth rings as the veneer is cut through the flitch.



Lengthwise Slicing

A board of flat sawn lumber is passed flat over a stationary knife. As it passes, a sheet of veneer is sliced from the bottom of the board. This produces a variegated figure.

Figure Characteristics of Veneers

The figure of the face veneer is of the utmost importance to the designer and architect, because the whole character of the completed installation may be determined by the choice of veneer to be used. When discussing figure in wood, those who deal with veneer usually describe the characteristics of the "movement" in the wood - whether it has wide or narrow heart, cathedral, crossfire, or is highly figured. Some of the more commonly used veneers are illustrated below.



Cherry, American Black



Elm, Carpathian Burl



Maple, Hard



Oak, Rift-Cut




Walnut, Quartered

Our thanks to Sieling and Jones, Inc. for the photographs of veneer.



ENGINEERED HARDWOOD FLOORING



- Easy to install and maintain.
- Economical solution for renovating areas or replacing existing flooring.
- Adds warmth and beauty to any room.
- Dimensionally stable.
- Tight tolerances for consistent fit.
- Engineered for strength and stability.

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF - No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt;

Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate **CAPITAL TESTING CERTIFICATIONS:** EPA TSCA Title VI; CARB

> **SIZES FACTORY** UNFINISHED GLUE TYPES/ **CRITICAL** AVAILABLE **FINISHED CAPITAL TESTING RADIANT FLUX CERTIFICATION ASTM E648**

AHF PRODUCTS

3840 Hempland Road, Mountville, PA 17554

(717) 251-1139

E-mail: infor@ahfproducts.com

Web: www.ahfproducts.com

Thickness: 3/8", 1/2",

Χ Standard

Performance

Type II

TSCA Title VI

Width: 3"- 9" Bevel, Square, Random Length

3/4", 7/16", 9/16" High

Textures: Scraped, Smooth, Wire-brushed

SPECIES MANUFACTURED: Ash, Birch, Cherry, Hickory, Maple, Red & White Oak, Pecan, Walnut and Acrylic Infused

FROM THE FOREST

Thickness: 1/8" - 1"

Width:

Χ

Х

Χ

PVA

Type II

TSCA Title VI

TSCA Title VI

Class 1

Sales: Jon Schafer 9004 Progress Way, Weston, WI 54476

(715) 502-3509; Fax: (715) 359-8624

E-mail: <u>jonathan.schafer@fromtheforest.com</u>

4-1/4", 5", 6"

7-1/2", 8", 9-1/15"

Web: www.fromtheforest.com

SPECIES MANUFACTURED: American Cherry, Hickory, Northern Hard & Red Maple, Northern Red & White Oak, Walnut

HOWELL HARDWOOD FLOORING

Sales: Nick Elmore

P.O. Box 250, Dothan, AL 36302

(334) 792-1197; Fax: (334)792-8967 E-mail: salesinfo@howellflooring.com

Web: www.howellflooring.com

Thickness: 3/8", 1/2"

Width: 2-1/4", 3", 4", 5"

Bevel or Square

SPECIES MANUFACTURED: Hickory, Red Oak, Walnut, White Oak

MERCIER WOOD FLOORING

330 rue des entrepreneurs, Montmagny, QC Canada G5V 4T1

(418) 248-1785

Web: www.mercierwoodflooring.com

PVA

Exception of

Class I

Maple which is

MANUFACTURERS OF ENGINEERED HARDWOOD FLOORING

GLUE TYPES: Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB

SIZES FACTORY UNFINISHED GLUE TYPES/ CRITICAL AVAILABLE FINISHED CAPITAL TESTING RADIANT FLUX CERTIFICATION **ASTM E648**

MULLICAN FLOORING Thickness: Χ Χ TSCA Title VI

655 Woodlyn Road, Johnson City, TN 37601 3/8", 7/16", 1/2"

(423) 283-4695; Fax: (423) 915-1213 Width:

3", 5", 6", 6-1/2", 7" Web: www.mullicanflooring.com

Dealer locator: www.mullicanflooring.com

Environmentally Certified Products Available: FSC, NWFA RPP

SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak

NYDREE FLOORING LLC Width: All species are Χ Х Type I 2-2/3", 4" Phenolic ASTM-E648 Sales: Jason Brubaker 1115 Vista Park Drive, Suite C 5-1/4", 7-1/2" Type II Class II with the

Forest, VA 24551

Dalton, GA 30722

(800) 682-5698; (434) 525-5252; Fax: (434) 525-7437

E-mail: sales@nydreeflooring.com Web: www.nydreeflooring.com

SPECIES MANUFACTURED: Acrylic Infused and Non-Acrylic Infused Sawn: American Walnut, Ash, Maple, Red & White Oak, R&Q White Oak

Thickness: **SHAW HARD SURFACES** Type II Χ

3/8" TSCA Title VI* Sales: Kevin Thompson (*Other TPC) P.O. Drawer 2128, Mail Drop 071 Width:

3-1/4", 5"

(706) 275-1871; Fax: (706) 275-2039

E-mail: kevin.thompson@shawinc.com

Web: www.shawfloors.com

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Rotary - American Cherry, Hickory, Maple, Red Oak, American Walnut

EPI ASTM E648 TOWNSEND FLOORING INC. Thickness: Χ

5/8" Pennington Road Width: Warren, AR 71671 (870) 226-7103; Fax: (870) 226-3084 2-1/4", 3", 4", 5", 6", 7", 8"

SPECIES MANUFACTURED: Hickory, Maple, Red & White Oak, Black Walnut



2025 DHA SPRING CONFERENCE & 104TH ANNUAL MEETING



REGISTER ONLINE


www.decorativehardwoods.org/events/2025-DHA-spring-conference

TUESDAY, MAY 13 - THURSDAY, MAY 15, 2025

San Antonio, TX



PREFINISHED HARDWOOD PLYWOOD



Hardwood plywood that is factory finished by the manufacturer.

Available in various veneer species, colors, overlays, finishes, and patterns.

For retail and industrial applications.

- Consistent quality.
- Strong and dimensionally stable.
- Available in thicknesses from 1/10" to over 2".
- Lowers finish cost.
- Extremely durable.

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNE AVAILAB Industrial Panels	LE	GLUE TYPES/ CAPITAL TEST CERTIFICATIO	
COLUMBIA FOREST PRODUCTS Chatham, VA Plant Sales: John Hampton, Director of Sales 100 Paul Rd., SW, Chatham, VA 24531 (800) 237-2428; (434) 432-2591	48" X 120" 48" X 96" 48" X 84" 48" X 72"	5/32" - 1-1/4"		CARB Type I Type II NAF TSCA Title VI	Calibrated Platforms Combination MDF Particleboard Veneer
E-mail: ihampton@cfpwood.com					

E-mail: <u>jhampton@cfpwood.com</u> Web: <u>www.cfpwood.com</u>

Environmentally Certified Products Available: FSC® MIX

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	 CARB	Calibrated Platforms
Hearst, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"		Type II	MDF
225 Prince Street, P.O. Box 10/Case Postale 10	48" X 108"		NAF	Particleboard
Hearst, ON, Canada POL 1NO	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: <u>jhampton@cfpwood.com</u>	48" X 72"			
Web: www.cfpwood.com	31" X 96"			
Environmentally Certified Products Available:	31" X 108"			
FSC® MIX	31" X 120"			
	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R,Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNES AVAILAB Industrial Panels	LE	GLUE TYPES/ CAPITAL TESTIN CERTIFICATION	CORE TYPES
COLUMBIA FOREST PRODUCTS Kitchener, ON, Canada Plant Sales: John Hampton, Director of Sales 21 Balzer Road Kitchener, ON, Canada N2C 1X5 (888) 664-1964; (450) 437-1964 E-mail: jhampton@cfpwood.com Web: www.cfpwood.com Environmentally Certified Products Available: FSC® MIX	60" X 108" 60" X 120" 48" X 120" 48" X 108" 48" X 96" 48" X 84" 31" X 96" 31" X 108" 31" X 120" 29" X 96" 29" X 108" 29" X 108"	1/8" - 1-5/8"		CARB Type I Type II NAF TSCA Title VI	Calibrated Platforms Combination MDF Particleboard Veneer

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

COLUMBIA FOREST PRODUCTS	48" X 120"	5/32"	 CARB	Calibrated Platforms
Klamath Falls, OR Plant	48" X 96"	1-1/2"	Type II	Combination
Sales: John Hampton, Director of Sales	48" X 84"		NAF	MDF
4949 S Hwy 97, Klamath Falls, OR 97601	48" X 72"		TSCA Title VI	Particleboard
(800) 547-1791; (541) 882-7281				Veneer

E-mail: <u>jhampton@cfpwood.com</u> Web: <u>www.cfpwood.com</u>

Environmentally Certified Products Available: FSC® Mix

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear); Labcoat™ UV SEFA rated (clear) finish or UV "fill and seal" only

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS LE AVAILABLE Industrial Wall		GLUE TYPES/ CAPITAL TESTING	CORE TYPES
		Panels	Panels	CERTIFICATION	
COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -		CARB	Calibrated Platforms
St. Casimir, QC, Canada Plant	60" X 120"	1-5/8"		Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"			Type II	MDF
420 Route Guibault	48" X 108"			NAF	Particleboard
St. Casimir, QC, Canada GOA 3L0	48" X 96"			TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"				
E-mail: jhampton@cfpwood.com	48" X 72"				
Web: www.cfpwood.com	31" X 96"				
Environmentally Certified Products Available:	31" X 108"				
FSC® MIX	31" X 120"				
	29" X 96"				
	29" X 108"				
	29" X 120"				

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Cedar-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: UV Wood™ (clear, color); Labcoat™ UV SEFA rated (clear, color) finish or UV "fill and seal" only

MURPHY COMPANY	48" X 96"	5/32" -	1/8"	ULEF	Veneer
Hardwood Plywood Division	49" X 97"	1 1/4"	5/32"	PVA-NAF	MDF
Sales: John Murphy Jr., Executive VP	48" X 84"		5.0mm	PVA-Exterior	Combination
2350 Prairie Road, Eugene, OR 97402	48" X 72"		1/4"	Phenolic	Calibrated
(541) 461-4545; Fax: (541) 461-4547			7/16"	ANSI/HPVA HP	-1 Particleboard
E-mail: sales@murphyplywood.com				TSCA Title VI	Baltic Birch

Web: www.murphyplywood.com

Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q FINISH TYPES: Print, Stain, Prime, Color, UV Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size, Furniture Panels, Cabinet Fronts, Drawer Sides/Backs: Edge

Banded/Nosed/Grooved

WALL PANELS: Paper/Vinyl Overlay/Melamine/Printed - Flame Spread Rating C

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall		GLUE TYPES/	CORE TYPES
				CAPITAL TESTING	
		Panels	Panels	CERTIFICATION	
ROSEBURG FOREST PRODUCTS CO.	48" X 120"	5/32" -	5/32" -	Type I	Calibrated Platforms
Sales: Ryan Phillips	48" X 96"	1-1/4"	3/4"	Type II	Combination
3660 Gateway Street	Inquire			PVA	MDF
Springfield, OR 97477				Phenolic	Particleboard
(800) 859-6998				TSCA Title VI*	Veneer
E-mail: ryanp@rfpco.com				(*other TPC)	
Web: www.Roseburg.com					

Environmentally Certified Products Available: FSC, Greenguard, CARB ULEF Exempt

SPECIES MANUFACTURED: Red Alder-P, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Poplar-R,P, Red and White Oak-R,P,Q,I, Sapele-P,Q, Sycamore-P,Q, Codar-P, Codar

Walnut-P,Q, Other Species - Inquire FINISH TYPES: UV Topcoat

WALL PANELS: Architectural – Flame Spread Rating "C"

SPECIALTY ITEMS: RediBead Bead Board, Sequence Matched and Numbered

STATES INDUSTRIES LLC	48" X 120"	5/32" -	5/32" -	Type II	Combination
P.O. Box 41150, Eugene, OR 97404	48" X 96"	1-1/2"	3/8"	TSCA Title VI	MDF
(541) 688-7871; Fax: (541) 689-8051	48" X 90"			ANSI/HPVA	Particleboard
(800) 626-1981	48" X 84"			HP-1	Veneer
E-mail: info@statesind.com	48" X 72"				

Web: www.statesind.com

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Ash-R,P,Q,I, Beech-R,P,Q, Birch-R,Q, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-R,P, Poplar-R,P, Walnut-P,Q, Other Domestic Species-R,P, Imported Species-P FINISH TYPES: Print, Stain, Ultra Violet Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size/Furniture Panels, Drawer Sides/Backs Nosed/Grooved, Machine Parts (Shaped) – Flame Spread Rating A, B, C, 150 Canada WALL PANELS: Architectural – Flame Spread Rating C

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE TYPES/ CAPITAL TESTIN CERTIFICATION	
TIMBER PRODUCTS COMPANY Sales: Davis Edwards, Sales Manager - East 2701 S. Harper Rd., Corinth, MS 38834 Office/Mobile: (901) 652-8201 E-mail: dedwards@timberproducts.com Web: www.timberproducts.com Environmentally Certified Products Available	48" X 96" 48" X 84" 48" X 72" 48" X 120"	5.2mm 1-1/2"	Type II CARB ULEF TSCA Title VI	MDF Particleboard Veneer Calibrated Platforms Combination OSB (Oriented Strand Board)

SPECIES MANUFACTURED: Ash-R,P,I, Beech-R,P, Birch-R, Cedar-P, American Cherry-R,P,Q, Hickory-R,P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,I, Pecan-P, Poplar-R, Walnut-P, Imported Species-R,P, Veneer Reconstituted FINISH TYPES: Ultra Violet Topcoat

TIMBER PRODUCTS COMPANY	48" X 120"	5/32" -	 Type I	Combination
Sales: Kevin Smith, Sales Manager - West	48" X 96"	1-1/2"	Type II	MDF
25 E McAndrews Rd., Medford, OR 97501	48" X 84"		CARB	Particleboard
Cell: (541) 744-4228; Office: (541) 618-3725	48" X 72"		Phenolic	Veneer
E-mail: ksmith@timberproducts.com	48" X 48"		ULEF	Calibrated Platforms
Web: www.timberproducts.com			TSCA Title VI	

Environmentally Certified Products Available: FSC


SPECIES MANUFACTURED: Ash-R,P,I, Beech-P, Birch-R,P, Cedar-R, American Cherry-R,P,I, Hickory-R,P, Knotty Pine-P, Maple-R,P,I, Red & White Oak-R,P,I, Pecan-P, Poplar-R, Walnut-P, Imported Species-R,P, Veneer Reconstituted

FINISH TYPES: Ultra Violet Topcoat

INDUSTRIAL PANELS: Banded/Edge Banded, Cut-To-Size/Furniture Panels, Drawer Sides/Backs Nosed/Grooved



HARDWOOD PLYWOOD STOCK PANELS



Hardwood plywood stock panels are manufactured in standard sizes such as 4' x 8' or 4' x 10' and are commonly 1/4" to 3/4" in thickness. Stock panels are available through distribution centers for industrial users or through mass merchandisers for commercial and do-it-yourself customers.

Frequently cut to component size by the end user.

- Consistent quality.
- Diverse selection of species.
- Strong and dimensionally stable.
- A variety of cores: veneer, MDF, particleboard, lumber, and combination core.
- Can be obtained finished.

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior - Technical; Exterior - Type I; Interior - Type II; NAF - No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE TYPES/ CAPITAL TESTIN CERTIFICATION	CORE TYPES
60" X 60" 48" X 96"	1/4" - 1-1/8"	CARB NAF PVA Type I PVA Type II TSCA Title VI	Veneer

SPECIES AVAILABLE: Southern – Ash-R, Gum-R, Hickory-R, Red and White Oak-R, Poplar-R, Sycamore-R, Tupelo Gum-R

CHESTERFIELD WOOD PRODUCTS INC.	All Sizes	1/16" -	Type II	Calibrated Platforms
Sales: M. Todd Powell, V.P.	up to	1-1/2"	ULEF	Combination
P.O. Box 1792, Morganton, NC 28680	60" X 110"		TSCA Title VI	Lumber
(828) 433-0042; Fax: (828) 437-6525				MDF
E-mail: bvi1981@att.net				Particleboard
				Veneer

SPECIES MANUFACTURED: Exotics-P, Ash-H,P,Q, Beech-P, Birch-R,H,P, Burls-P, Aromatic Cedar-P, American Cherry-H,P,Q, Hickory-H,P, Idaho White Pine-P, Knotty Pine-P, Honduras Mahogany-P, Maple-R,H,P,Q, Red Oak-R,H,P, White Oak-R,H,P,Q, Pecan-H,P, Poplar-R,H,P, Walnut-H,P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Cut-To-Size, Doors, Finished Stock Panels, Flitch Selection Available, Kitchen Cabinet Components, Matched Sets, Seat Backs, Sketch Face Panels, Veneer - Reconstituted

COLUMBIA FOREST PRODUCTS	48" X 72"	5/32" -	CARB	Calibrated Platforms
Chatham, VA Plant	84", 96", 120"	1-1/4"	Type I	Combination
Sales: John Hampton, Director of Sales			Type II	MDF
100 Paul Rd., SW, Chatham, VA 24531			NAF	Particleboard
(800) 237-2428; (434) 432-2591			TSCA Title VI	Veneer
E-mail: jhampton@cfpwood.com				

Web: www.cfpwood.com

CAHABA VENEER & PLYWOOD, INC (M)

(205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com

SPECIALTY ITEMS: High Strength, Extra Thick Hardwood Panels

Sales: Pete Browder, President P.O. Box 98, 324 Mill St. Centreville, AL 35042

Environmentally Certified Products Available: FSC® MIX (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin, medium gloss levels, SEFA-compliant Labcoat®, OEM custom color programs with custom gloss: custom stain, foil application

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Beaded Panels; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly® Baltic birch core; Radius® bending; SMN Sets

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES	THICKNESS	GLUE	CORE TYPES
AVAILABLE	AVAILABLE	TYPES/	
	Industrial Wall	CAPITAL TESTING	3
	Panels Panels	CERTIFICATION	

COLUMBIA FOREST PRODUCTS 48" X 72" 3/8" - Type II Calibrated Platforms

Craigsville, WV Plant 84", 96" 1-7/16" NAF Combination Sales: John Hampton, Director of Sales

TSCA Title VI Veneer

242 Columbia Forest Products Road, Craigsville, WV 26205

(304) 742-5317; Fax: (304) 742-5167 E-mail: <u>jhampton@cfpwood.com</u> Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® MIX (FSC-C017500)

SPECIES MANUFACTURED: Birch-R, Maple-R, Poplar-R, Red Oak-R

FINISH TYPES: None

SPECIALTY ITEMS: Engineered Wood Flooring Blanks, Furniture Framestock, Industrial Panels, Plywood Blanks

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
Hearst, ON, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"		Type II	MDF
225 Prince Street, P.O. Box 10/Case Postale 10	48" X 108"		NAF	Particleboard
Hearst, ON, Canada POL 1NO	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: jhampton@cfpwood.com	48" X 72"			
Web: www.cfpwood.com	31" X 96"			
Environmentally Certified Products Available:	31" X 108"			
FSC® MIX (FSC-C017500)	31" X 120"			
	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: Polypropylene Overlay [Premeer®], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; calibrated aspen industrial panels; CAN/AM® Value Panel; basswood faced industrial panels; Classic Core® combi panels; Classic Lam® combi platforms; DesignEdge® birch multiply domestic all-birch core

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

Industrial Panels		- *	3
3" 1/8" - " 1-5/8" " " " " " " " " " " " " " " " " "		CARB Type I Type II NAF TSCA Title VI	Calibrated Platforms Combination MDF Particleboard Veneer
33,	Industrial Panels 3" 1/8" - 1-5/8" 3" 1-5/8"	Industrial Wall Panels 3" 1/8" - 1-5/8" 3" 1-5/8"	Panels Panels CERTIFICATION By 1/8" - CARB Type I Type II NAF TSCA Title VI

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PVA NAF composite assemblies in NAF and ULEF, Classic Core®, Thin panels, CFP 60"s™ five-foot wide composites, 8' x 4' counterfront

COLUMBIA FOREST PRODUCTS	48" X 72'	5/32" -	CARB	Calibrated Platforms
Klamath Falls, OR Plant	84", 96", 120"	1-1/2"	Type II	Combination
Sales: John Hampton, Director of Sales			NAF	MDF
4949 S. Hwy 97, Klamath Falls, OR 97601			TSCA Title VI	Particleboard
(800) 547-1791; (541) 882-7281				Veneer

E-mail: jhampton@cfpwood.com Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® Mix (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal"

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Classic Core®, Classic Lam® combi core; CAN/AM® Value Panel, 8' x 4' counterfront; Europly® Baltic birch core; industrial blanks; Radius® bending; SM&N sets

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES	THICKNESS	GLUE	CORE TYPES
AVAILABLE	AVAILABLE	TYPES/	
	Industrial Wall	CAPITAL TESTING	
	Panels Panels	CERTIFICATION	

COLUMBIA FOREST PRODUCTS

48" X 96"

1/2" -1-1/8" CARB Type I Calibrated Platforms Combination

Veneer

Type II NAF

TSCA Title VI

Old Fort, NC Plant

Sales: John Hampton, Director of Sales

369 Columbia Carolina Road, Old Fort, NC 28762 (800) 438-6069; (828) 724-4191

E-mail: jhampton@cfpwood.com Web: www.cfpwood.com

Environmentally Certified Products Available: FSC® Mix (FSC-C017500)

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cherry-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: UV Wood™ Clear in flat, satin gloss levels, SEFA-compliant LabCoat™, UV "fill and seal" only [trans shipped from Chatham, VAl

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; CAN/AM® Value Panel; Classic Core®, Classic Lam® combi core; 8' x 4' counterfront; Europly® multiply core; industrial blanks; Radius® bending; SM&N sets

COLUMBIA FOREST PRODUCTS	60" X 108"	1/8" -	CARB	Calibrated Platforms
St, Casimir, QC, Canada Plant	60" X 120"	1-5/8"	Type I	Combination
Sales: John Hampton, Director of Sales	48" X 120"		Type II	MDF
420 Route Guibault	48" X 108"		NAF	Particleboard
St. Casimir, QC Canada G0A 3L0	48" X 96"		TSCA Title VI	Veneer
(888) 664-1964; (450) 437-1964	48" X 84"			
E-mail: jhampton@cfpwood.com	31" X 96""			
Web: www.cfpwood.com	31" X 108"			
Environmentally Certified Products Available:	31" X 120""			
FSC® MIX (FSC-C017500)	29" X 96"			
	29" X 108"			
	29" X 120"			

SPECIES MANUFACTURED: Alder-P, Anigre-P, Ash-P, Aspen-R, Bamboo-P, Basswood-R, American Beech-R, P, European Beech-P, Birch-R,P, Butternut-P, Red, Clear, Aromatic Eastern, Western Red Cedar-P, Knotty Cedar-P, Cypress-P, Grey Elm-P, American Red Elm-P, Engineered Veneer Obeche-P, Douglas Fir-P, Red Gum-P, Grandis-P, Red-P, Hemlock-P, Hickory-P, Holly-P, Ipe-P, Jatoba-P, Larch-P, Khaya-P, Maple-R,P, Red Maple-R, Red Oak-R, P, White Oak-P, Eastern/Western Clear, Knotty & Yellow Pine-P, Poplar-R,P, Sapele-P, American Sycamore-P, Tineo-P, Walnut-P, Wenge-P, Other Species-Inquire-R,P,Q,I

FINISH TYPES: Polypropylene Overlay [Premeer], UV Topcoat, SEFA Certified, Fumed Oak

SPECIALTY ITEMS: PureBond® NAF MPX® featuring Meinan® peel x-bands; Melawood®, Classic Core®, 8' x 4' counterfront; Radius® bending plywood; DesignEdge® all-birch, multiply core construction

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE CORE TYPES TYPES/ CAPITAL TESTING CERTIFICATION	
COMMONWEALTH PLYWOOD INC.	48 1/2" X	1/4"	CARB II	Veneer
Jane Jones, Office Manager	96 1/2"	1/2"	Type II	FUMA
Sales: Angie Milliken, Atlantic		5/8"	NAF	
Delia Charland, Inside Sales		3/4"	TSCA Title VI	
Tony Asprinio, Northeast		1"		
P.O. Box 30, Whitehall, NY 12887				
(518) 499-0099: Fax: (518) 499-0187				

(518) 499-0099; Fax: (518) 499-0187 E-mail: jjones@cpiwhitehall.com

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-R,P,Q, White Ash-P, Basswood-R, Beech-P, Birch-R, Cedar-P, Aromatic Cedar-P, American Cherry-P, Fir (vertical grain)-P, Hickory-P, Idaho White Pine-P, Khaya-P, Maple-R,P,Q, Red Oak-R,P,Q,I, Sycamore-P, White Oak-P,Q,I, Clear & Knotty Pine-P, Sapele-P, Walnut-P, Any Species on Request-R,P,Q

SPECIALTY ITEMS: Finished Stock Panels

Web: www.glveneer.com

DARLINGTON VENEER CO., INC.	60" X 96"	5/32" -	ULEF	Permawood
Sales: Rich Smothers	48" X 144"	1-1/4"	Type I	Permacore I & II
P.O. Box 1087, Darlington, SC 29540	48" X 120"		Type II	Calibrated Platforms
(843) 393-3861; Fax: (843) 393-4441	48" X 96"		TSCA Title VI	Combination
E-mail: rsmothers@darlingtonveneer.com	48" X 84"			MDF
Web: www.darlingtonveneer.com	48" X 72"			Particleboard
Environmentally Certified Products Available:	FSC, Other			Veneer

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Red Alder-P, Anigre-P,Q, Ash-R,H,P,Q, Basswood-P, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-R,H,P,Q, Elm-P, Fir-Vertical Grain-P,Q, Hickory-R,H,P, Idaho White Pine-P, Khaya-R,H,P,Q, Honduras Mahogany-H,P,Q, Maple-R,H,P,Q,I, Red & White Oak-R,H,P,Q,I, Pecan-R,H,P, Knotty Pine-P, Poplar-R,H,P, Sapele-H,P,Q, Sycamore-P,Q, Walnut-H,P,Q, Any Species on Request-R,H,P,Q,I

SPECIALTY ITEMS: Bending Panels, Fire Retardant Class A, Counter Fronts, Center Matched Panels, Sequenced Sets, Engineered Veneer

GL VENEER CO., INC.	All sizes	All thicknesses	Exterior	All cores available
Sales: Jeffrey Levin	available	available	Technical	
2224 E. Slauson Ave.			Type I	
Huntington Park, CA 90255			Interior	
(323) 582-5203; Fax: (323) 582-9681			Type II	
E-mail: sales@glveneer.com			TSCA Title VI	

SPECIES MANUFACTURED: Over 200 species of domestics and exotics

SPECIALTY ITEMS: Live Edge Slabs, Logs, Veneer Faces, Sketch Faces, Exotic Veneer, Blueprint Matched Panels, Architectural Panels, Fire Rated Products, Oversize Plywood, Cut-To-Size Plywood, Custom Plywood, High Pressure Laminates

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE TYPES/ CAPITAL TESTII CERTIFICATION	
HILSKY BLYMOOD	40" > 420"	4 /0"	Tomas	Callbroate d Blasferre
HUSKY PLYWOOD	48" X 120"	1/8" -	Type I	Calibrated Platforms
(Division of Commonwealth Plywood Inc.)	48" X 108"	2"	Type II	Combination
Sales: Jean-Francois Bertrand, Sales Manager	48" X 96"		ULEF	Veneer
15 Boulevard Labelle	48" X 84"		TSCA Title VI	MDF
Ste-Therese, QC, Canada J7E 4H9	48" X 72"			Particleboard
(438) 823-1586; Fax: (450) 435-6295	60" X 120"			
(866) 414-8759	60" X 96"			
E-mail: sales@huskyplywood.com				
Woh: www huskyphogod com				

Web: www.huskyplywood.com

Environmentally Certified Products Available: FSC, Other

SPECIES MANUFACTURED: Exotics-R,H,P,Q,I, Red Alder-P, Anigre-P,Q, Ash-R,P,Q,I, Beech-P, Birch-R,P, Butternut-P, Cedar-P, Aromatic Cedar-P, American Cherry-P,Q,I, Fir-Vertical Grain-P, Hickory-P, Idaho White Pine-P, Khaya-P, Knotty Pine-P, Honduras Mahogany-P, Maple-R,P,Q,I, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-R,P,Q,I

SPECIALTY ITEMS: Banded, Finished Stock Panels, Marine Panels, Veneer - Reconstituted - Flame Spread Rating C, Flex Core

LAMINATE TECHNOLOGIES, INC	48" X 96"	1/4" -	PVA	MDF
161 Maule Road, Tiffin, OH 44883	60" X 72"	1-1/2"	TSCA Title VI	Particleboard
(419) 448-0812; Fax: (419) 448-0811	60" X 96"		ANSI HPVA HP-1	Veneer
E-mail: sales@lamtech.net	60" X 120"			Veneer Core MDF Skins
Sales: mserra@lamtech.net; jvarner@lamtech.net; plucius@lamtech.net				Calibrated Platforms
Web: www.Lamtech.net				Laminated Panels

Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q SPECIALTY ITEMS: Fully machined made to order components, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms, Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Custom Order Panels.

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE TYPES/ CAPITAL TESTI CERTIFICATIO	
MANTHEI WOOD PRODUCTS	48" X 120"	1/8"-	Type I	Calibrated Platforms
Sales: Jon DeMotte	48" X 96"	1-1/2"	Type II	Combination
3996 US 31 South, Petoskey, MI 49770	48" X 84"		ULEF	MDF
(231) 347-7040; Fax: (231) 347-3750	48" X 72"		Exterior	Particleboard
	60" X 96"		TSCA Title VI	Veneer
	60" X 120"			Multi-Ply

E-mail: plywoodsales@mantheiwoodproducts.com

Web: www.mantheiwoodproducts.com

Environmentally Certified Products Available: FSC, CARB Certified, TSCA Title VI

SPECIES MANUFACTURED: Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-R,P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-R,P, Idaho White Pine-P, Jatoba-P,Q, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Pecan-R,P, Red and White Oak-R,P,Q,I, Okuome-R, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Teak-P,Q, Zebrawood-Q, Other imported and domestic species available upon request

SPECIALTY ITEMS: Cut-To-Size, Finished Stock Panels, Flat & Rotary Die Boards, Kitchen Cabinet Components, Lazer Panels, Veneer-Reconstituted - Flame Spread Rating A, B C, Door Skins

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

	SIZES AVAILABLE	THICKNESS AVAILABLE Industrial Wall Panels Panels	GLUE TYPES/ CAPITAL TESTING CERTIFICATION	CORE TYPES
MURPHY COMPANY	48" X 96"	5/32" -	ULEF	Veneer
Hardwood Plywood Division	49" X 97"	1-1/4"	PVA-NAF	MDF
Sales: John Murphy Jr., Executive VP	48" X 84"		PVA-Exterior	Combination
2350 Prairie Road, Eugene, OR 97402	48" X 72"		Phenolic	Calibrated
(541) 461-4545; Fax: (541) 461-4547			ANSI/HPVA HP-1	Particleboard
E-mail: sales@murphyplywood.com			TSCA Title VI	Baltic Birch
Web: www.murphyplywood.com				

Environmentally Certified Products Available: FSC, CARB Exempt, ULEF

SPECIES MANUFACTURED: Alder-P, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P, Cedar-P, American Cherry-R,P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R,P, Walnut-P, Q, Other Domestic Species-R,P,Q, Imported Species-R,P,Q SPECIALTY ITEMS: Aromatic Cedar Paneling, Edge-Banded, Cut-To-Size, Cabinet Door Inserts, Drawer Sides/Backs/Bottoms Bull-Nosed/Grooved, Finished Stock Panels, Furniture Panels, Kitchen Cabinet Components, Sequence Matched and Numbered, Custom Order Panels



MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB; ANSI/HPVA HP-1

SIZES THICKNESS GLUE CORE TYPES

AVAILABLE AVAILABLE TYPES/

Industrial Wall CAPITAL TESTING
Panels Panels CERTIFICATION

ROCKSHIELD ENGINEERED WOOD PRODUCTS 48" X 96" 1/4" – Phenolic Combination

Sales: Terry Evans, V.P. 48-1/2" X 96-1/2" 1-1/2" PVA MDF

4 Bolsvert Crescent, Cochrane, ON POL 1C0 TSCA Title VI Particleboard

Canada Veneer (705) 272-7610; Fax: (705) 272-3509 NorCore

Email: terry.evans@rockshieldewp.com
Web: www.RockshieldEWP.com

Environmentally Certified Products Available: FSC

FINISH TYPES: UV Topcoat

ROSEBURG FOREST PRODUCTS CO. 48" X 120" 5.2mm - 5/32" - Type I Calibrated Platforms

Sales: Ryan Phillips 48" X 96" 1-1/4" 3/4" Type II Combination

3660 Gateway Street Inquire PVA MDF

Springfield, OR 97477
Phenolic Particleboard
(800) 859-6998
TSCA Title VI* Veneer

E-mail: <u>ryanp@rfpco.com</u> (*other TPC)

Web: www.Roseburg.com

Environmentally Certified Products Available: FSC, Greenguard, CARB ULEF Exempt

SPECIES MANUFACTURED: Red Alder-P, Ash-R,P,Q, Bamboo-P,Q, Basswood-R, Beech-P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, Aromatic Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Knotty Pine-P, Maple-R,P,Q, Poplar–R,P, Red and White Oak-R,P,Q,I, Sapele-P,Q, Sycamore-P,Q,

Walnut-P,Q, Other Species - Inquire

FINISH TYPES: UV Topcoat

WALL PANELS: Architectural - Flame Spread Rating "C"

SPECIALTY ITEMS: RediBead Bead Board, Sequence Matched and Numbered

<u>STATES INDUSTRIES LLC</u> 48" X 120" 1/8" - Type II Calibrated Platforms

P.O. Box 41150, Eugene, OR 97404 48" X 96" 1-1/2" NAF Combination (541) 688-7871: Fax: (541) 689-8051 48" X 90" TSCA Title VI MDF

 (541) 688-7871; Fax: (541) 689-8051
 48" X 90"
 TSCA Title VI
 MDF

 (800) 626-1981
 48" X 84"
 ANSI/HPVA
 Particleboard

 E-mail: info@statesind.com
 48" X 72"
 HP-1
 Veneer

Web: www.statesind.com

Environmentally Certified Products Available: FSC, SFI

SPECIES MANUFACTURED: Red Alder-R,P, Anigre-P,Q, Ash-R,P,Q, Beech-R,P,Q, Birch-R,P,Q, Butternut-P, Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q,

Red & White Oak-R,P,Q,I, Pecan-R,P, Poplar-R,P, Sapele-P,Q, Sycamore-Q, Walnut-P,Q

SPECIALTY ITEMS: Aromatic Cedar Paneling, Banded, Cut-To-Size, Drawer Sides/Backs Nosed/Grooved, Finished Stock Panels, Kitchen Cabinet Components, Machined Parts (Shaped), Veneer - Reconstituted - Flame Spread Rating A, B, C, 150 Canada

MANUFACTURERS OF HARDWOOD PLYWOOD STOCK PANELS

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut

GLUE TYPES: Exterior – Technical; Exterior – Type I; Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate CAPITAL TESTING CERTIFICATIONS: EPA TSCA Title VI; CARB, ANSI/HPVA HP-1

TI II O / N I E C C

SIZES	THICKNE	SS	GLUE	CORE TYPES
AVAILABLE	AVAILAB	LE	TYPES/	
	Industrial	Wall	CAPITAL TESTING	i
	Panels	Panels	CERTIFICATION	
48" X 96"	5.2mm -		Type II	MDF
48" X 84"	1-1/2"		ULEF	Particleboard
48" X 72"			CARB	Veneer
48" X 120"			TSCA Title VI	Calibrated Platforms

Combination

OSB

E-mail: dedwards@timberproducts.com
Web: www.timberproducts.com

Sales: Davis Edwards, Sales Manager - East 2701 S. Harper Rd., Corinth, MS 38834 Office/Mobile: (901) 652-8201

TIMBER PRODUCTS COMPANY

Environmentally Certified Products Available: FSC

Environmentally Certified Products Available: FSC

SPECIES MANUFACTURED: Exotics-P,Q, Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Beech-P,Q, Birch-R,P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Poplar-P, Sapele-P,Q, Walnut-P

SPECIALTY ITEMS: Aromatic Cedar Paneling, Finished Stock Panels, Veneer – Reconstituted, Beaded, Cross Grain

TIMBER PRODUCTS COMPANY	48" X 96"	5.2mm -	Type I	MDF
Sales: Kevin Smith, Sales Manager – West	48" X 84"	1-1/2"	Type II	Particleboard
25 E McAndrews Rd., Medford, OR 97501	48" X 72"		CARB	Veneer
Cell: (541) 744-4228; Office: (541) 618-3725	48" X 120"		Phenolic	Calibrated Platforms
E-mail: ksmith@timberproducts.com			ULEF	
Web: www.timberproducts.com			TSCA Title VI	

SPECIES MANUFACTURED: Exotics-P,Q, Red Alder-P, Anigre-P,Q, Ash-R,P,Q, Beech-P,Q, Birch-R,P, Cedar-P, Aromatic Cedar-P, American Cherry-R,P,Q, Fir-Vertical Grain-P, Hickory-R,P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Maple-R,P,Q, Red & White Oak-R,P,Q,I, Poplar-P, Sapele-P,Q, Walnut-P

SPECIALTY ITEMS: Aromatic Cedar Paneling, Finished Stock Panels, Veneer – Reconstituted, Beaded, Cross Grain

THE WOOD GALLERY, INC.	Up to	1/16"- 6"	Type I	Lumber
Sales: Barrett Lee	77" X 160"		Type II	MDF
10724 Goodnight Lane, Dallas, TX 75220-2409			CARB	Particleboard
(972) 869-9161; Fax: (972) 869-0449			TSCA Title VI	Veneer

E-mail: barrett@woodgallery.biz
Web: www.woodgallery.biz

Environmentally Certified Products Available: FSC, NAUF

SPECIES MANUFACTURED: Exotics R,H,Q, Anigre-P,Q, Ash-P,Q, Beech-P,Q, Birch-R,P,Q, Burls-R, American Cherry-P,Q, Fir-Vertical Grain-Q, Hickory-P, Khaya-P,Q, Knotty Pine-P, Honduras Mahogany-P,Q, Maple-H,P,Q, Red & White Oak-P,Q,I, Pecan-P, Sapele-P,Q, Sycamore-P,Q, Walnut-P,Q, Any Species on Request-P,Q

SPECIALTY ITEMS: Aircraft Applications, Cut-To-Size – Flame Spread Rating A



EXPERTS IN TESTING & CERTIFICATION SINCE 1954



Since 1954, Decorative Hardwoods Association members have consistently chosen Capital Testing as their preferred provider of testing and certification. Capital Testing is proud to certify these DHA members in 2025:

CARB 93120 ATCM / EPA TSCA Title VI Formaldehyde Emissions

- AHF Products
- Birchland Plywood
- Cahaba Veneer and Plywood
- Chesterfield Wood Products
- Columbia Forest Products
- Commonwealth Plywood
- Darlington Veneer Co.
- Eastern Panel Manufacturing
- From The Forest
- GL Veneer Co.
- Great Lakes Veneer

- Howell Hardwood Flooring
- Husky Plywood
- Manthei Wood Products
- Mullican Flooring
- Murphy Plywood
- Rockshield Engineered Wood Products
- Roseburg Forest Products (Riddle, OR)
- States Industries
- The Wood Gallery
- Timber Products

ANSI/HPVA HP-1 Decorative & Hardwood Plywood

Murphy Plywood

States Industries

ANS LTDD: Legal Timber Due Diligence

Danzer North America

Veneer Technologies Inc.

ASTM E84 Flame Spread

Murphy Plywood

States Industries

To verify current certification status, visit our Product Certification Directory at www.capitaltesting.org.

To find out more about our expert testing and certification services, contact us:









Sample Certification Marks









ROTARY HARDWOOD VENEERS



- The grain pattern varies from log to log, making each piece its own natural unique piece of art.
- Wide variety of species available.
- Maximizes the usable veneer taken from each tree.
- Ability to select a specific flitch or "look."
- By using hardwood veneer, you honor centuries of craftsman heritage and contribute to an environmentally responsible use of a natural resource.

For more information, read: Facts About Decorative Veneers listed in the Table of Contents.

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS LENGTH LENGTH

ATLANTIC VENEER CORPORATION (M)

1/64" 0.5mm 1/16" 1.6mm 216" 18'

5486mm

Rotary Half Round

Division of Moehring-Group Sales: Flint Harding

611 Verdun St., Newport, NC 28570 (252) 728-3169; Fax: (252) 728-4203 E-mail: fharding@moehring-group.com Web: www.moehring-group.com

Environmentally Certified Products Available: FSC, SFI, Other

SPECIES AVAILABLE: Ash, Aspen, Beech, Birch

SPECIALTY ITEMS: Veneer - Edge Band, Veneer for Export, Veneer - Stock Panel/Door Faces

<u>CAHABA VENEER & PLYWOOD, INC</u> (M) 1/24" 3/16" -- 100" Rotary

Sales: Pete Browder, President 1mm 4.8mm

P.O. Box 98, 324 Mill St., Centreville, AL 35042

(205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com

SPECIES AVAILABLE: Southern – Ash, Cypress, Gum, Hickory, Red and White Oak, Poplar, Sycamore, Tupelo Gum; Northern – Hard

Manla

SPECIALTY ITEMS: Cut-To-Size Veneer and Plywood, Skateboard Veneers

<u>CLARKE VENEERS & PLYWOOD</u> (S) 1/85" 1/6" -- 123" Rotary

Sales: Stuart Clarke 0.3mm 4.1mm 3125mm

Bronson Newburger

P.O. Box 4876, Jackson, MS 39296-4876 (601) 366-0331; Fax: (601) 366-0334 E-mail: info@clarkeveneers.com Web: www.clarkeveneers.com

Environmentally Certified Products Available: FSC, OLB

SPECIES AVAILABLE: Aspen, Birch, Eucalyptus, Fir, Fuma, Hemlock, Ilomba, Maple, Okoume, Pine, Poplar, Red Oak

SPECIALTY ITEMS: Face and Back Veneers, Core Veneers, Veneer Core Platforms, Combi Ply Platforms

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

COLUMBIA FOREST PRODUCTS (M)

Hardwood Veneer Division 1/64" 1/17" 16" 123" Rotary Sales: Rocky Boucher, Director of Sales 0.4mm 1.5mm 406mm 3124mm

Tanya Lamoureux, No. American Veneer Sales

Jeremy Roberge, Inside Sales Adam Thurston, Sales Coordinator

324 Bluff Rd., Newport, VT 05855 (802) 334-3600; Fax: (802) 334-5149


(800) 231-4148

E-mail: rboucher@cfpwood.com

Web: www.columbiaforestproducts.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Basswood, Birch, Hard & Soft Maple, Red Oak, Tulip Poplar SPECIALTY ITEMS: Custom Splicing, Custom Lumber Slicing, Log Run, Tulip Poplar, Aspen, Fir Platforms from multiple locations in 7/16", 11/16" with calibrated availability in 8', 9' and 10' lengths, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces



Together, we manufacture success.

- North American rotary, sliced and cut-to-size decorative veneers in alder, ash, birch, maple, poplar and red oak, available with chain-of-custody assurance.
- Book matched, slip matched, planked appearance veneer panels as well as flitch stock and furniture grade sorts.
- TSCA Title VI compliant Menian® peel platforms, including Classic Lam® combination core panels, aspen industrial panels and framestock featuring PureBond® soy-based assembly technology.

Contact our veneer and platform sales team today: 1-800-231-4148 | veneerinfo@cfpwood.com



MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

COMMONWEALTH PLYWOOD CO., LTD. (M)

1/50" 0.5mm 1/16" 0.59mm

14" 356mm 123" 3124mm Rotary

Veneer Division

Sales: Daniel Pacheco – International

Jason Miller - USA

Norman Wulf - Canada, International

15 Labelle Boulevard, P.O. Box 90 Ste-Therese, QC, Canada J7E 4H9 (450) 435-6541; Fax: (450) 435-2895 E-mail: sales@commonwealthplywood.com Web: www.commonwealthplywood.info

Environmentally Certified Products Available: FSC Certified

SPECIES AVAILABLE: Basswood, Birch, Hard Maple, Poplar, Red Oak

SPECIALTY ITEMS: Veneer-Stock Panel/Door Faces, Veneer Oversize, Veneer-Cut-To-Size

THE FREEMAN CORPORATION (M) 1/21" 1/6" 63" Rotary 4.2mm 1600mm 1.2mm

Sales: Andrew Falk

P.O. Box 96, Winchester, KY 40392-0096 (859) 744-4311; Fax: (859) 744-4363 E-mail: sales@freemancorp.com

Web: www.freemancorp.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Red Alder, Beech, Birch, Cherry, Hickory/Pecan, Hard & Soft Maple, Red & White Oak, Poplar, Sycamore, Walnut,

Other North American Species

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export

GREAT LAKES VENEER (M) 1/50" 1/5" 10" 104" Rotary 5.1mm 254mm 2550mm Sliced

Sales: Michael Burkart, Business & Product Dev. Dir. 0.15mm Nick Rogers, Vice President

P.O. Box 476, Marion, WI 54950-0476

(715) 754-2501; Fax: (715) 754-2582 E-mail: mike.burkart@greatlakesveneer.com; nrogers@greatlakesveneer.com

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Black & Sweet Gum, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Walnut, Other North American Species

SPECIALTY ITEMS: Custom Splicing, Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	TYPE
THICKNESS	THICKNESS	LENGTH	LENGTH	
1/82"	1/12"	12"	104"	Rotary
0.3mm	2.1mm	305mm	2642mm	

Sales: Matt Smith 3996 US 31 South Petoskey, MI 49770

MANTHEI WOOD PRODUCTS (M)

(231) 347-7040; Fax: (231) 347-1369 E-mail: sales@mantheiwoodproducts.com Web: www.mantheiwoodproducts.com

SPECIES AVAILABLE: Aspen, Basswood, Beech, Birch, Cherry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red &

White Oak, Poplar

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces

McCATHAY TIMBER, INC. (S)	1/85"	1/6"	2"	126"	Rotary
Sales: Dan Roach, President				10.5'	Half Round
Ken Roach, Vice-President	0.3mm	4.2mm	50mm	3200mm	

1529 West Armitage Avenue, #200

Chicago, IL 60642-1258

(773) 227-1171; Fax: (773) 227-6767

(800) 6 VENEER

E-mail: info@mccathaytimber.com Web: www.mccathaytimber.com

Environmentally Certified Products Available: FSC, SFI

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Fir/Hemlock, Black & Sweet Gum, Hickory/Pecan, Western, Quilted, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Species

SPECIALTY ITEMS: Clipped & Bundled, Custom Splicing to Door Faces and Panel Dimensions, Plywood, Platforms, Butcher Block, Edge-Glued Lumber, Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export

1/4" THE PENROD COMPANY (M/S) 1/85" 10" 145" Rotary Sales: Forest Products Sales 0.3mm 6.3mm 254mm 3685mm

272 Bendix Rd., Suite 550 Virginia Beach, VA 23452

(757) 498-0186; Fax: (757) 498-1075 E-mail: Sales.SRV@SRVINC.com Web: www.thepenrodcompany.com

SPECIES AVAILABLE: A variety of domestic and international fine hardwood and decorative softwood species. SPECIALTY ITEMS: A variety of specialty veneer and panel products for various manufacturing applications

MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	TYPE
THICKNESS	THICKNESS	LENGTH	LENGTH	
	4	- "		
1/64"	1/28"	34"	99"	Rotary
0.4mm	0.91mm	864mm	2515mm	

Sales: Terry Ostrander, Veneer Sales Mgr. P.O. Box 378, Munising, MI 49862-0378 (906) 452-6221; Fax: (906) 452-6348 E-mail: tostrander@timberproducts.com

Web: www.timberproducts.com

TIMBER PRODUCTS COMPANY (M)

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Birch, Hard Maple, Soft Maple

SPECIALTY ITEMS: Veneer-Cut-To-Size, Veneer for Export, Veneer-Stock Panel/Door Faces



RESOURCES

Looking for a copy of the national consensus standards for hardwood and decorative plywood or engineered wood flooring, or want comprehensive training for your team? DHA is committed to making it easier to do business with easy-to-download resources, many of which are free.



American National Standard for Hardwood and Decorative Plywood, ANSI/HPVA HP-1-2024

Requirements for face, back, and inner ply grades plus formaldehyde emissions, moisture content, tolerances, and more.



American National Standard for Engineered Wood Flooring, ANSI/HPVA EF 2020

Grade descriptions, test procedures, and requirements for veneer thickness, machining, moisture content, and finishing.



American National Standard for Due Diligence in Procuring/ Sourcing Legal Timber ANS LTDD 2.0 2023

Guidelines for creating and managing a quality assurance program to exclude illegal timber from the supply chain.



Hardwood Plywood, Engineered Wood Flooring & Hardwood Veneer: The Basics

An AIA-accredited introduction to hardwood plywood, engineered wood flooring, and hardwood veneer.

Qualifies for one AIA LU/HSW hour.



Hardwood Plywood, Engineered Wood Flooring & Hardwood Veneer: The Specifics

An AIA-accredited course on the types of hardwood plywood and veneer and how they are manufactured. Qualifies for one AIA LU elective hour.




Grading Workshop Sessions

This comprehensive course on decorative hardwood plywood includes product construction, standards, species, grades, and much more.

DOWNLOAD NOW: www.decorative hardwoods.org/products



SLICED HARDWOOD VENEERS



- Beautiful heart structure.
- Uniformity of appearance.
- Smooth surface.
- Ability to select a specific flitch or "look."
- Wide variety of species available.
- Sliced veneer gives a unique and sophisticated touch to your product.
- By using hardwood veneer, you honor centuries of craftsman heritage and contribute to an environmentally responsible use of a natural resource.

For more information, read: Facts About Decorative Veneers listed in the Table of Contents.

Quarter Slcd.

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
ATLANTIC VENEER CORPORATION (M) Division Moehring-Group	1/64"	1/16"	36" 3'	180" 15'	Half Round Plain Sliced
Sales: Flint Harding 611 Verdun St., Newport, NC 28570	0.5mm	1.6mm	914mm	4572mm	Rift/ Quarter Slcd.

(252) 728-3169; Fax: (252) 728-4203 E-mail: fharding@moehring-group.com Web: www.moehring-group.com

Environmentally Certified Products Available: FSC, SFI, Other

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Beech, Birch, Butternut, Aromatic Cedar, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Woods

SPECIALTY ITEMS: Clipped & Bundled – Export, Custom Slicing, Logs for Sale, Veneer-Architectural, Veneer, Cut-To-Size, Veneer-Edge Band

BIRCHLAND PLYWOOD-VENEER LTD.	1/40"	1/16"	28"	150"	Rotary
P.O. Box 430, Thessalon, ON, Canada POR 1L0	0.6mm	1.6mm	711mm	3810mm	Half Round
(705) 842-2430; Fax: (705) 842-2496					Plain Sliced
E-mail: sales@birchlandplywood.com					Rift/

E-mail: sales@birchlandplywood.com
Web: www.birchlandplywood.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Exotics, Red Alder, Anigre, Ash, Basswood, Beech, Birch, Burls, Butternut, Cedar, Aromatic Cedar, American Cherry, Elm, Fir-Vertical Grain, Gum, Hickory, Idaho White Pine, Khaya, Knotty Pine, Honduras Mahogany, Maple, Red & White Oak, Pecan, Poplar, Sapele, Sycamore, Tupelo, Walnut, Any Species on Request

SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Calibrated Platforms, Combination, Cut-To-Size, Door Skins, Finished Stock Panels, Lumber, MDF, Particleboard, Stock Panels, Unidirectional, Veneer - Reconstituted – Flame Spread Rating A, B, C

CAHABA VENEER & PLYWOOD, INC (M) 1/40" 1/8" 36" 110" Plain Sliced Sales: Pete Browder, President .6mm 3.2mm 914mm 3000mm

D.O. Day OO. 224 Mail Ch. Caratravilla M. 2504

P.O. Box 98, 324 Mill St., Centreville, AL 35042

(205) 926-9797; Fax: (205) 926-5496 E-mail: Pete@cahabaveneer.com Web: www.cahabaveneer.com

SPECIES AVAILABLE: Southern – Ash, Gum, Hickory, Red and White Oak

SPECIALTY ITEMS: Rustic Sliced for Flooring & Hospitality

MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	TYPE
THICKNESS	THICKNESS	LENGTH	LENGTH	

COLUMBIA FOREST PRODUCTS (M)

Hardwood Veneer Division Sales Offices 1/50" 1/10" 16" 123" Plain Sliced Sales: Rocky Boucher, Director of Sales 0.5mm 2.5mm 3124mm

Tanya Lamoureux, No. American Veneer Sales

Jeremy Roberge, Inside Sales Adam Thurston, Sales Coordinator 324 Bluff Road, Newport, VT 05855 (802) 334-3600; Fax: (802) 334-5149

(800) 231-4148

E-mail: rboucher@cfpwood.com

Web: www.columbiaforestproducts.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Red Alder, Beech, Aromatic Cedar, Hickory, Hard Maple, Red & White Oak SPECIALTY ITEMS: Custom Lumber (Marunaka) Slicing, Logs for Sale, Platforms, Veneer-Cut-To-Size

DANZER SPECIALTY VENEER (DSV) (M/S)	1/64"	5/32"	 155"	Half Round
Danzer Veneer Americas	0.35mm	4.0mm	4000mm	Plain Sliced
Sales: Matt Miller, Edinburgh, IN				Rift/
(812) 526-2601				True Quarter

Web: www.danzer.com

Please see our ad on inside back cover for more information. Certified (FSC-Mixed Credit & FSC-CW) veneer is available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrona, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods, Evotics

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Door Jams, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring Lamellas, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

MINIMIM

MIJMIXAM

SLICED HARDWOOD VENEER MANUFACTURERS (M) AND SALES COMPANIES (S)

MUMIXAM

MINIMIM

	THICKNESS	THICKNESS	LENGTH	LENGTH	TIPE
DANZER VENEER AMERICAS - EAST (M/S) Sales: Fernando Zertuche, Darlington, PA	1/64" 0.35mm	5/32" 4.0mm		155" 4000mm	Half Round Plain Sliced
(724) 827-8366	0.3511111	4.011111		400011111	Rift/
Jason Norton, Darlington, PA – Flooring	Lamellas				True Quarter
(724) 827-8366					
John Byerly, High Point, NC					
(336) 255-5401					
Mike Schierz, Durham, ON, Canada					
(519) 369-3310					
Fernando Zertuche, Montreal, QC, Cana	ıda				
(724) 827-8366					

Web: www.danzer.com

Please see our ad on inside back cover for more information. Certified (FSC-Mixed Credit & FSC-CW) veneer is available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Cypress, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrona, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods, Exotics

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Door Jams, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring Lamellas, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

DANZER VENEER AMERICAS - WEST (M/S)	1/64"	5/32"	 155"	Half Round
Sales: Matt Miller, Edinburgh, IN	0.35mm	4.0mm	4000mm	Plain Sliced
(812) 526-2601				Rift/
Mike Barajas, Cerritos, CA				True Quarter
(562) 926-3639				
Jason Norton, Darlington, PA – Flooring Lan	nellas			

Web: www.danzer.com

(724) 827-8366

Please see our ad on inside back cover for more information. Certified (FSC-Mixed Credit & FSC-CW) veneer is available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Aromatic & Western Red Cedar, Cherry, Cypress, Elm, Fir/Hemlock, Guanacaste, Gum, Hackberry, Hickory/Pecan, Madrona, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Sapelli, Sycamore, Tupelo, Walnut, Yew, Other North American Woods, Exotics

SPECIALTY ITEMS: Architectural Veneer, Burls/Crotches, Clipped & Bundled Veneer, Custom Slicing, Cut-To-Size Veneer, Door Jams, Freeform, Linea, Logs for Sale, Reconstituted Veneer, Rustic, Sliced Flooring Lamellas, Spliced Faces, Unclipped Veneer, Vintage, Vinterio, Veneer for Export, 3D Veneer

	MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
ELDCAN FOREST PRODUCTS LTD. (M/S) Owner: George Doonan	1/127"	1/8"	36" 3'	156"	Plain Sliced VG
Sales/Plant Manager: Candace Goss 2949 Shuswap Road Kamloops, BC, Canada V2H 1S9 (250) 573-1900; Fax: (250) 573-1816 E-mail: cgoss@eldcan.com Web: www.eldcan.com	0.2mm	7.2mm	914mm	3962mm	
SPECIES AVAILABLE: Red Alder, Douglas Fir SPECIALTY ITEMS: Custom Slicing, Custom Splicing	9				
	4 /50"	4 /4 0"	40"	4.44	DI - : - CI: I /D:(

 FORCEY LUMBER AND VENEER CO. (M/S)
 1/50"
 1/10"
 48"
 144"
 Plain Sliced/Rift

 Sales: Ross Forcey
 4'
 12'

 2020 Shiloh Rd., Woodland, PA 16881
 0.50mm
 2.5mm
 1220mm
 3657mm

 (814) 857-5002; Fax: (814) 857-5000

Mobile: (814) 592-1726 E-mail: <u>ross@forceylumber.com</u> Web: <u>www.forceylumber.com</u>

Environmentally Certified Products Available: FSC, Chain of Custody, Controlled Wood, BV-COC-012533EW, BV-CW-012533EW

SPECIALTY ITEMS: Custom Slicing, Cut-To-Size, Clipped & Bundled Veneer, Lumber

THE FREEMAN CORPORATION (M)	1/85"	1/7"	 204"	Half Round
Sales: George Freeman	0.3mm	3.5mm	5180mm	Plain Sliced
P.O. Box 96, Winchester, KY 40392-0096				Rift/
(859) 744-4311; Fax: (859) 744-4363				Quarter Slcd.
F:				

E-mail: sales@freemancorp.com
Web: www.freemancorp.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Red Alder, Ash, Basswood, Beech, Birch, Butternut, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White/Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Walnut, Other North American Woods

SPECIALTY ITEMS: Clipped & Bundled - Export, Logs for Sale, Veneer-Architectural, Veneer-Cut-To-Size

MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	TYPE
THICKNESS	THICKNESS	LENGTH	LENGTH	

<u>GREAT LAKES VENEER</u> (M) 1/50" 1/5" 10" 104" Sliced

Sales: Michael Burkart, Business & Product Dev. Dir. 0.5mm 5.1mm 254mm 2550mm

Nick Rogers, Vice President P.O. Box 476, Marion, WI 54950-0476 (715) 754-2501; Fax: (715) 754-2582

E-mail: mike.burkart@greatlakesveneer.com; nrogers@greatlakesveneer.com

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Basswood, Beech, Birch, Cherry, Elm, Gum, Hackberry, Hickory/Pecan, Curly/Fiddleback, Hard & Soft Maple,

Red & White Oak, White/Ponderosa/Sugar Pine, Poplar, Sycamore, Walnut

SPECIALTY ITEMS: Logs for Sale, Veneer-Cut-To-Size

124" LES BOISES LA FLEUR INC 1/50" 1/26" 24" Rift Canadian Sales: Louis Lafleur, President 0.50mm 0.85mm 610mm 3150mm False Rift 219 François Bourgeois Quartered Plain Sliced Victoriaville, Que, Canada G6T 2G9

(819) 758-9441 #2240; Cell: (819) 352-7531 E-mail: <u>llafleur@blf-inc.com</u>

Web: <u>www.blf-inc.com</u>
USA Sales: Mike Knapp – Knapp Woods

Cell: (541) 670-3935

SPECIES AVAILABLE: Red Alder, Cherry, Maple, Walnut, Euro Steamed Beech, White Oak, Poplar, Maritime Pine, Sapele, Aromatic Cedar,

Hickory, White Ash

SPECIALTY ITEMS: Stock Panel, Door Faces, Counter Fronts, Architectural Matching, Cut-To-Size

McCATHAY TIMBER, INC. (S) 1/85" 1/6" 2" 180" Half Round Sales: Dan Roach, President 15' Plain Sliced Ken Roach, Vice-President 0.3mm 4.2mm Rift/ 50mm 4572mm 1529 West Armitage Avenue, #200 Quarter Slcd.

Chicago, IL 60642-1258

(773) 227-1171; Fax: (773) 227-6767

(800) 6 VENEER

E-mail: info@mccathaytimber.com Web: www.mccathaytimber.com

Environmentally Certified Products Available: FSC, SFI

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Birch, Beech, Cherry, Cottonwood, Elm, Fir/Hemlock, Black & Sweet Gum, Hickory/Pecan, Western, Quilted, Hard & Soft Maple, Red & White Oak, White & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, and other North American Woods

SPECIALTY ITEMS: Clipped & Bundled, Custom Splicing to Door Faces and Panel Dimensions, Veneer-Cut-To-Size, Veneer-Edge Band, Veneer for Export, Plywood, Platforms, Butcher Block, Edge-Glued Lumber

MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	TYPE
THICKNESS	THICKNESS	LENGTH	LENGTH	
1/42"	3/4"	24"	120"	

VERMONT WILDWOODS (M)

106 Main Street, Floor 4 Burlington, VT 05401

(802) 345-5649; Cell (757) 968-3857 E-mail: hello@vermontwildwoods.com Web: www.vermontwildwoods.com

SPECIES AVAILABLE: Birch, Maple

SPECIALTY ITEMS: Spalted Maple Veneer, Splated Maple Paper Backed Veneer, Spalted Maple Plywood, Spalted Maple Engineered

Flooring



DHA MISSION

The mission of the Decorative Hardwoods Association, formerly known as the Hardwood Plywood & Veneer Association®, is to promote and support high quality, sustainably and legally produced decorative engineered wood products and hardwood veneer manufactured in North America.

OUR CORE VALUES

- Our unique strength is our depth and breadth of technical expertise in engineered hardwoods
- Our marketing of North American-produced engineered hardwoods drives consumer preference
- The Decorative Hardwoods Association is the single voice of our industry, advocating for a fair market and level playing field
- We actively collaborate to promote the sustainable management of forest resources and access to legally sourced timber
- Our national consensus standards for hardwood plywood, engineered wood flooring, and due diligence for sourcing legal timber are recognized and specified by producers and consumers


To become a member, advertise with us, or buy publications, contact:

703.435.2900

www.DecorativeHardwoods.org



SPLICED HARDWOOD VENEERS



- Environmentally friendly.
- Made to standards agreed upon between buyer and seller grade, craftsmanship, etc.
- Continuity from order to order.
- Cost control.

For more information, read Facts About Decorative Veneers listed in the Table of Contents.

	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	TYPE
	THICKNESS	THICKNESS	LENGTH	LENGTH	
BIRCHLAND PLYWOOD-VENEER LTD.	1/40"	1/16"	28"	150"	Rotary
P.O. Box 430, Thessalon, ON, Canada POR 1LO	0.6mm	1.6mm	711mm	3810mm	Half Round
(705) 842-2430; Fax: (705) 842-2496					Plain Sliced
E-mail: sales@birchlandplywood.com					Rift/
Web: www.birchlandplywood.com					Quarter Slcd.
Environmentally Certified Products Available: FSC	2				

SPECIES AVAILABLE: Exotics, Red Alder, Anigre, Ash, Basswood, Beech, Birch, Burls, Butternut, Cedar, Aromatic Cedar, American Cherry, Elm, Fir-Vertical Grain, Gum, Hickory, Idaho White Pine, Khaya, Knotty Pine, Honduras Mahogany, Maple, Red & White Oak, Pecan, Poplar, Sapele, Sycamore, Tupelo, Walnut, Any Species on Request

SPECIALTY ITEMS: Aromatic Cedar Paneling, Blueprint Matched Panels, Calibrated Platforms, Combination, Cut-To-Size, Door Skins, Finished Stock Panels, Lumber, MDF, Particleboard, Stock Panels, Unidirectional, Veneer - Reconstituted - Flame Spread Rating A, B, C

CLARKE VENEERS & PLYWOOD (S)	1/85"	1/6"	 123"	Rotary
Sales: Stuart Clarke	0.3mm	4.1mm	3125mm	Plain Sliced
Bronson Newburger				Rift/
P.O. Box 4876, Jackson, MS 39296-4876				Quarter Slcd.

(601) 366-0331; Fax: (601) 366-0334 E-mail: info@clarkeveneers.com Web: www.clarkeveneers.com

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Eucalyptus, Gum, Hickory/Pecan, Khaya, Hard & Soft Maple, Red & White Oak, Ponderosa/Sugar & Yellow Pine, Poplar, Sycamore, Tupelo, Walnut, Other North American Species SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export

DANZER CANADA INC. (M/S)	1/50"	1/16"	 122"	Half Round
Danzer Veneer Americas	0.5mm	1.5mm	3098mm	Plain Sliced
Sales: Mike Schierz, Durham, ON, Canada				Rift/
(519) 369-3310				Quarter Slcd.

Scott Kaufman, Durham, ON, Canada (519) 369-3310

Barry Carroll, Darlington, PA

(724) 827-8366 Web: www.danzer.com

Please see our ad on inside back cover for more information.

Certified (FSC-PURE & FSC-CW) faces are available.

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Red Alder, Ash, Aspen, Basswood, Beech, Birch, Butternut, Aromatic Cedar, Cherry, Elm, Eucalyptus, Fir, Hemlock, Hickory/Pecan, Khaya, Madrona, Honduras Mahogany, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Myrtlewood, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Spruce, Sycamore, Walnut, Other North American Species, Exotics SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Door Jams, Spliced Faces (Panel/Door), Veneer for Export

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

ELDCAN FOREST PRODUCTS LTD. (M/S)

1/50" 0.5mm 1/16" 1.5mm 50" 1270mm 106" 2692mm Plain Sliced VG

Owner: George Doonan

Sales/Plant Manager: Candace Goss

2949 Shuswap Road

Kamloops, BC, Canada V2H 1S9 (250) 573-1900; Fax: (250) 573-1816

E-mail: cgoss@eldcan.com Web: www.eldcan.com

SPECIES AVAILABLE: Red Alder, Douglas Fir SPECIALTY ITEMS: Custom Splicing, Custom Slicing

GREAT LAKES VENEER (M)

1/50"

1/4"

10"

104"

Rotary

Sales: Michael Burkart, Business & Product Dev. Dir. 0.5mm Nick Rogers, Vice President 6.4mm

254mm 2550mm

Half Round Plain Sliced

Quarter Slcd.

Rift/

P.O. Box 476, Marion, WI 54950-0476 (715) 754-2501; Fax: (715) 754-2582

E-mail: mike.burkart@greatlakesveneer.com; nrogers@greatlakesveneer.com

Web: www.greatlakesveneer.com

Environmentally Certified Products Available: FSC

225, Boul Bonaventure, Victoriaville, QC Canada G6T 1V5

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Cottonwood, Elm, Gum, Hickory/Pecan, Hard & Soft Maple, Red &

White Oak, Poplar, Sycamore, Walnut, Other North American Species SPECIALTY ITEMS: Custom Splicing, Cut-To-Size Veneer, Veneer for Export

INDUSTRIE ERGIE INC. (M) Sales/Co-Owner: Carlos Zarate 1/50"

1/24"

38"

123"

" Plain Sliced

Quarters

Rift

Spliced Faces

(819) 758-9576 E-mail: industrie@ergie.ca Web: www.ergie.ca

SPECIES AVAILABLE: Aromatic Cedar, Cherry, Domestic Birch, European Steamed Beech, Hickory, Knotty Pine, Maple, Poplar, Red Alder,

Teak, Walnut

SPECIALTY ITEMS: RECON Veneers

1/26"

0.85mm

MINIMUM **MAXIMUM MINIMUM** MAXIMUM TYPE **THICKNESS THICKNESS LENGTH LENGTH**

24"

610mm

124"

3150mm

Rift

False Rift Quartered

Plain Sliced

LES BOISES LA FLEUR INC

Canadian Sales: Louis Lafleur, President

219 Francois Bourgeois

Victoriaville, Que, Canada G6T 2G9 (819) 758-9441 #2240; Cell: (819) 352-7531

E-mail: <u>llafleur@blf-inc.com</u> Web: www.blf-inc.com

USA Sales: Mike Knapp - Knapp Woods

Cell: (541) 670-3935


SPECIES AVAILABLE: Red Alder, Cherry, Maple, Walnut, Euro Steamed Beech, White Oak, Poplar, Maritime Pine, Sapele, Aromatic

Cedar, Hickory, White Ash

SPECIALTY ITEMS: Stock Panel, Door Faces, Counter Fronts, Architectural Matching, Cut-To-Size

1/50"

0.50mm





819 758-9441 | info@blf-inc.com

219, rue Francois-Bourgeois, Victoriaville, QC G6T 2G9

blf-inc.com



Nous sommes bilingues. We are bilingual.

MINIMUM MAXIMUM MINIMUM MAXIMUM TYPE THICKNESS THICKNESS LENGTH LENGTH

LIGNUM VENEER

Sales: Nancy Dupuis 285 Francois Bourgeois

Victoriaville, Quebec, Canada G6T 2G9 (819) 751-2282; Fax: (819) 751-0160 E-mail: quote@lignumveneer.com Web: www.lignumveneer.com

1/50'' 0.5mm Rotary Plain Sliced Rift/

Quarter Slcd

SPECIES AVAILABLE: Alder, Ash, Birch, Aromatic & Western Red Cedar VG, Cherry, Exotics, Fir, Hemlock, Hickory/Pecan, Hard and Soft Maple, Red & White Oak, White Pine, Western Knotty Pine, Poplar, Walnut, Other North American Species

SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Stock Panel/Door Faces, Veneer-Cut-To-Size, Veneer for Export

MANTHEI WOOD PRODUCTS (M)

Sales: Matt Smith 3996 US 31 South

Petoskey, MI 49770

(231) 347-7040; Fax: (231) 347-1369 E-mail: sales@mantheiwoodproducts.com Web: www.mantheiwoodproducts.com 1/100" 0.25mm 1/6" 4.2mm 2" 50mm 168" 14' 4267mm Rotary Half Round Plain Sliced

Rift/

Quarter Slcd.

SPECIES AVAILABLE: Ash, Aspen, Basswood, Beech, Birch, Cherry, Hickory/Pecan, Madrone, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, Poplar, Walnut

SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Stock Panel/Door Faces, Veneer-Cut-To-Size, Veneer for Export

ST-RAYMOND VENEERS, THE PENROD COMPANY

Sales: St-Raymond Veneers Sales (M/S)

595 Guyon Street

St-Raymond, QC, Canada G3L 1Z1 (418) 337-4607; Fax: (418) 337-8342 E-mail: Sales.SRV@SRVINC.com

Web: www.SRVINC.com

1/64" 0.4mm 1/16" 1.5mm 48" 1219mm

130" 3302mm Rotary Half Round Plain Sliced Rift/

Quarter Slcd.

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Beech, Birch, Aromatic & Western Red Cedar, Cherry, Fir, Hickory/Pecan, Bird's-Eye, Curly/Fiddleback, Hard & Soft Maple, Red & White Oak, White Pine, Poplar, Walnut, Other North American Species SPECIALTY ITEMS: Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export

MINIMUM THICKNESS	MAXIMUM THICKNESS	MINIMUM LENGTH	MAXIMUM LENGTH	TYPE
1/64" 0.4mm	1/28" 0.91mm	34" 864mm	99" 2515mm	Rotary

P.O. Box 378, Munising, MI 49862-0378 (906) 452-6221; Fax: (906) 452-6348 E-mail: tostrander@timberproducts.com Web: www.timberproducts.com

TIMBER PRODUCTS COMPANY (M) Sales: Terry Ostrander, Veneer Sales Mgr.

Environmentally Certified Products Available: FSC

SPECIES AVAILABLE: Birch, Hard Maple, Soft Maple

SPECIALTY ITEMS: Architectural Matching, Counter Fronts, Cut-To-Size Veneer, Stock Panel/Door Faces, Veneer for Export

VENEER TECHNOLOGIES INC. (M)	1/50"	1/24"	38"	135"	Rotary
Division of Moehring-Group	0.5mm	1.0mm	965mm	3429mm	Half Round
Sales: Greg Simon					Plain Sliced
P.O. Box 1145, Newport, NC 28570					Rift/
(252) 223-5600; Fax: (252) 223-3511					Quarter Slcd.

(800) 593-5601

E-mail: gsimon@veneertech.com Web: www.veneertech.com

Environmentally Certified Products Available: FSC

Certified to the American National Standard for Due Diligence in Procuring/Sourcing Legal Timber (ANS LTDD) by Capital Testing

SPECIES AVAILABLE: Exotics, Red Alder, Ash, Aspen, Basswood, Beech, Birch, Butternut, Western Red Cedar, Cherry, Elm, Eucalyptus, Fir, Gum, Hemlock, Hickory/Pecan, Khaya, Madrone, Honduras Mahogany, Bird's-Eye, Curly/Fiddleback, Western, Quilted, Hard & Soft Maple, Myrtlewood, Red & White Oak, Ponderosa/Sugar, White & Yellow Pine, Poplar, Sapele, Sycamore, Tupelo, Walnut, Other North **American Species**

SPECIALTY ITEMS: Burls/Crotches, Counter Fronts, Custom Splicing, Cut-To-Size Veneer, Edge Band Veneer, Stock Panel/Door Faces, Paperbacked/Flexed Veneer, 2-Ply Faces, Reconstituted Veneer



DHA DISTRIBUTORS









DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut **GLUE TYPES:** EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

1/8" -

1"

SIZES	THICKNESSES	GLUE	CORE	ENVIRONMENTALLY
AVAILABLE	AVAILABLE	TYPES	TYPES	CERTIFIED PRODUCTS
				AVAILABLE
				FSC, SFI, Other

FESSENDEN HALL DELAWARE

Contact: David Bober 1037 Fowler Court, Dover, DE 19901 (302) 674-4505; Fax: (302) 674-4507

(800) 220-6681

E-mail: davidbober@fessendenhall.com

96" X 48" 48" X 72" 48" X 96"

48" X 96" to 48" X 144" Type I Type II Combination Lumber F, S, O

MDF Particleboard

Unidirectional Veneer

FESSENDEN HALL OF PENNSYLVANIA

Contact: John Bergin

3021 Industry Drive, Lancaster, PA 17603

(717) 394-1047; Fax: (717) 295-1725; (800) 220-3157

E-mail: johnbergin@fessendenhall.com

FESSENDEN HALL, INC.

Contact: David Bober

1050 Sherman Ave., Pennsauken, NJ 08110

(856) 665-2210; Fax: (856) 665-6518; (800) 220-2233

E-mail: davidbober@fessendenhall.com

FESSENDEN HALL, INC.

Contact: David Bober

1 Fairfield Place, West Caldwell, NJ 07006 (800) 220-2233; Fax: (800) 210-4248 E-mail: davidbober@fessendenhall.com

SPECIES DISTRIBUTED: Exotics-R,H,P,Q,I, Anigre-Q, Ash-R,P, Beech-P,Q, Birch-R, Butternut-P, Cedar-Q, American Cherry-P,Q, Hickory-P, Idaho White Pine-P, Khaya-P, Knotty Pine-P, Koa-P,Q, Honduras Mahogany-P, Maple-R,P, Bird's-Eye Maple-P, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R, Sycamore-Q, Walnut-P, Any Species on Request-R,H,P,Q,I

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Bending Boards, Cabinet Doors, Curved/Molded Items, Die Boards, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Stock Panels, Table & Desk Tops, Veneer, Bendable, Veneer/Plywood – Musical Instruments – Flame Spread Rating A, B, C, 150 Canada

PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated – Flame Spread A, B, C, 150 Canada

DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut **GLUE TYPES:** EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

SIZES	THICKNESSES	GLUE	CORE	ENVIRONMENTALLY
AVAILABLE	AVAILABLE	TYPES	TYPES	CERTIFIED PRODUCTS
				AVAILABLE
				FSC, SFI, Other

HARWOOD INDUSTRIES, INC - Headquarters

iai teis

.107" -1" Veneer

F, S, O

Contact: Doug Wirkkala

12" X 96" to 48" X 120"

Type II Combination NAF MDF

20548 SW Wildrose Pl., Sherwood, OR 97140 (800) 745-6620; (503) 692-6620

NAUF Particleboard

ULEF Baltic Birch

Phenolic

PVA

Type I

Contact: Dan Shaver 61520 American Land

61520 American Lane, Bend, OR 97702

HARDWOOD INDUSTRIES, INC. - Bend, OR

(541) 389-2236

TSCA Title VI

HARDWOOD INDUSTRIES, INC. - Medford, OR

Contact: Jared White

357 Ehrman Way, Medford, OR 97501

(541) 779-0404

HARDWOOD INDUSTIRES, INC. - Seattle, WA

Contact: David Wirkkala

20124 Broadway Ave., Bldg. D, Woodinville, WA 98296

(888) 750-5881; (425) 420-1050

HARDWOOD INDUSTIRES, INC. - Kent, WA

Contact: David Wikkala

8621 South 212th St., Kent, WA 98031 (888) 750-5881; (425) 420-1050

E-mail: sales@hardwoodind.com
Web: www.hardwoodind.com

SPECIES DISTRIBUTED: Alder-P, Knotty Alder-P, Ash-P, Bamboo-Q, Beech-P, Birch-P,R, Cedar-P, Cherry-P,Q, Fir-P,Q, Hickory-P, Mahogany African-P,Q, Maple-P,R,Q, Meranti-R, Pine-P, Red Grandis-P, Red Oak-P,R,Q,I, Sande-R, Sapele-P,Q, Teak-P, Walnut-P,Q, White Oak-P,Q,I, Any Species on Request-R,H,P,Q,I

HARDWOOD PLYWOOD SPECIALTY ITEMS: Banded, Cabinet Doors, Cabinet Components, Molded Items, Drawer Sides, Grooved, Perforated, Edge Banding, Furniture Panels, Machined Parts (Shaped), CNC designs, School / Church components, Table & Desktops, Butcher Blocks, Upholstery Frame Panels, Veneer, Bendable, Pegboard, Veneer/Plywood, Fire Rated, Moisture Resistant PREFINISHED SPECIALTY PANELS: Birch and Maple Sheets and Components

DISTRIBUTORS OF HARDWOOD PLYWOOD

SPECIES: R-Rotary, H-Half Round, P-Plain Sliced, Q-Quarter Sliced, I-Rift Cut **GLUE TYPES:** EPA TSCA; CARB; Exterior – Technical; Exterior – Type I;

Interior – Type II; NAF – No Added Formaldehyde Exempt; ULEF – Ultra Low-Emitting Formaldehyde Exempt; Phenolic – Phenol Formaldehyde; PVA – Polyvinyl Acetate

SIZES	THICKNESSES	GLUE	CORE	ENVIRONMENTALLY
AVAILABLE	AVAILABLE	TYPES	TYPES	CERTIFIED PRODUCTS
				AVAILABLE
				FSC, SFI, Other

PITTSBURGH FOREST PRODUCTS CO.	48.5" X 96.5"	1/8' -	CARB Type II	Veneer Core	FSC
Contact: Troy Halo	4' x 10'	1-3/16"	EPA TSCA	Combination	
375 Valley Brook Rd., McMurray, PA 15317	5' x 10'		Exterior -	MDF	
(724) 969-5000; Fax: (724) 969-1100	5' x 5'		Technical	Particleboard	
E-mail: inquiry@pittsburghforest.com	5' x 8'		Exterior -	Unidirectional	
Web: www.pittsburghforest.com	Cut-To-Size		Type I	Lumber	

SPECIES DISTRIBUTED: Exotics-R,P, Bamboo-R,P, Beech-R,P, Birch-R,P, American Cherry-R,P, Hickory-P, Knotty Pine-P, Maple-R,P, Honduras Mahogany-R,P, Red Oak-R,P,Q, White Oak-P,Q, Pecan-P, Poplar-R, Walnut-P, Any Species on Request-R,H,P,Q HARDWOOD PLYWOOD SPECIALTY ITEMS: Cabinet Doors, Door Skins, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Furniture Panels, Kitchen Cabinet Components, Stock Panels, Machined Parts (Shaped), School/Church Components, Upholstery Frame Panels, Veneer

PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Color Matching Stain & Paint, Melamine Laminated, Vinyl Laminated, UV Topcoats

RODDIS LUMBER & VENEER CO. LP.	60" X 60"	1/8" -	Type I	Combination	F
Contact: Bob Weaver, President	48" X 120"	1-1/8"	Type II	Lumber	
727 N. Cherry St., San Antonio, TX 78202	48" X 96"			MDF	
(210) 226-1426; Fax: (210) 226-1591	48" X 72"			Particleboard	
E-mail: sales@roddislumber.com				Veneer	
Web: www.roddislumber.com					

SPECIES DISTRIBUTED: Exotics-R,P,Q,I, Anigre-P,Q, Ash-R,P, Bamboo-R, Beech-P,Q, Birch-R,P, Butternut-P, Cedar-P, American Cherry-P, Hickory-P, Idaho White Pine-P, Khaya-P,Q, Knotty Pine-P, Koa-P, Honduras Mahogany-P,Q, Maple-R,P, Bird's-Eye Maple-P, Red & White Oak-R,P,Q,I, Pecan-P, Poplar-R, Sycamore-P, Walnut-P, Any Species on Request-R,P,Q,I HARDWOOD PLYWOOD SPECIALTY ITEMS: Bending Boards, Curved/Molded Items, Drawer Sides/Backs Nosed/Grooved, Edge Banding, Marine Panels, Stock Panels, Table & Desk Tops, Veneer, Bendable - Flame Spread Rating A, C PREFINISHED SPECIALTY PANELS: Architectural, Industrial, Paper Overlay, Printed, Vinyl Laminated - Flame Spread Rating A, C



DHA SUPPLIERS




















































P-Plywood V-Veneer O-Other

ALTEC (M)

Altec manufactures, supplies, and supports solutions that help veneer and plywood plants increase production, uptime, recovery and quality across the <u>entire green end</u>. Precision machinery and controls help plants achieve these goals. Since 1999, Altec has continued to expand products and services to help customers achieve higher results. Altec has engineering and manufacturing facilities located in Diboll, TX and Coquitlam, BC.

120-185 Golden Drive PVO – Control Systems; V – Lathe Systems; V – XY Scanners; V – Chargers

Coquitlam, BC V3K 6T1, Canada V – Clipper Scanners; V – Clippers; PV – Handling and Stacking;

(604) 529-1991; Fax: (604) 529-1992 PVO – Engineering and Design

E-mail: sales@alteconline.com
Web: www.alteconline.com

ARCLIN (M)

Arclync is the new suite of high performance surfacing solutions provided by Arclin. One of the products under this brand is Crystal, a high performance dry finish application for hardwood plywood. It provides a clear finish solution that can be smooth or textured while providing high levels of scratch and wear resistance. This surface also performs as a moisture protection layer and protects the wood against surface stains while making it very easy to clean. Crystal also provides UV protection as part of the integrated solution. Arclin is the North American leader in treating technologies, surfacing solutions, resins and adhesives systems for plywood and other wood substrates. With 12 locations across North America we focus on providing great service to our domestic and international markets. Our strategically located technology application laboratories in both the West and East Coast bring us closer to the different markets. Arclin designs and engineers tailor-made solutions for each individual application. Arclin fosters partnerships focused on market growth by providing new market opportunities for our customers.

1000 Holcomb Woods Pkwy., Suite 342 Roswell, GA 30076 (678) 999-2100

Web: www.arclin.com; www.arclyncsurfaces.com

CARGILL BIOINDUSTRIAL (D)

Cargill provides food, agriculture, financial and industrial products and services to the world. Together with farmers, customers, governments and communities, we help people thrive by applying our insights and more than 150 years of experience. We have 150,000 employees in 70 countries who are committed to nourishing the world in a responsible way, reducing environmental impact and improving the communities where we live and work. Cargill BioIndustrial focuses on providing bio-based solutions to industrial markets, including binders and adhesives for construction materials, dielectric fluids, paints, inks and coatings, lubricants, oilfield chemicals, consumer products, flexible foam and other diverse applications. With our global technical expertise in Engineered Wood & Composites, we collaboratively work with our customers to solve their toughest challenges with unique, innovative technologies that create bottom-line value. Furthermore, our customers count on Cargill's global supply chain expertise to provide consistent and reliable supply.

Sales: Dave Garlie, NA BDM – Cargill BioIndustrial Binders & Adhesives

15401 McGinty Road, Wayzata, MN 55391

(715) 271-4225

E-mail: <u>Dave Garlie@cargill.com</u>
Web: <u>www.cargill.com/adhesives</u>

P-Plywood V-Veneer O-Other

CSS BELTS (D) 160+ years of excellence, innovation and service for metal conveyor belts / veneer screens

We are medium-sized, family-owned company and produce high-quality wire products since 1861. We specialize in the production of metal conveyor belts for highly demanding industrial applications. From our factory in Lahnstein/Germany we serve customers in over 50 countries around the world.

Our products are produced according to individual requirements and meet the highest technical demands in quality, reliability and durability. We support our customers during the purchasing process with comprehensive advice. This covers everything from the selection of products and materials and the calculation of dimensions to installation and commissioning. We are committed to delivering the best service and focus on the long-term business relationship.

Sales: Stefan Quast & Volker Schaaf Chr.-Seb.-Schmidt-Strabe 9 56112 Lahnstein Germany +49 262196940

E-mail: stefan.quast@css-draht-schmidt.de

Web: www.cssbelts.de

<u>LinkedIn</u>

FISHER + RÜCKLE AG (Headquarter) (M)

Fisher + Rückle AG, Manufacturers of high quality, long lasting wood veneer machinesincluding; crossfeed splicers, longitudinal splicers, single knife and double knife guillotines, jointers, glue applicators, cross clippers and veneer grading lines.

V – Veneer Guillotines; V – Veneer Jointers; V – Veneer Splicers; V – Grading Lines

Sales: Alexander Baptista V – Consulting-Design/Application; V – Conveyors; V – Crossfeed Splicers; Hardhofstrasse 15, 8424 Embrach V – Flooring Equipment; V – Glue Applicators; V – Veneer Clippers;

Switzerland 011 41 56 460 67 00

E-Mail : <u>sales@fisher-ruckle.ch</u>
Web: <u>http://www.fisher-ruckle.ch</u>

FISHER + RÜCKLE SALES AND SERVICE, INC. (M)

Fisher + Rückle Sales and Service Inc. is the North American representative for Fisher + Rückle AG (Headquarter in Switzerland) and they offer sales support, quality service, and original OEM parts for Fisher + Rückle AG, Embrach, Switzerland. Supporting FISHER + RÜCKLE AG supplying the veneer industry with new and used veneer machines including crossfeed and longitudinal splicers, single-knife and double-knife guillotines, jointers, glue applicators, cross clippers and veneer grading lines.

Contact: Jeff Suehring V – Consulting-Design/Application; V – Conveyors; V – Crossfeed Splicers; V – Grading Lines;

513 S. Howard Street, P.O. Box 373 V – Flooring Equipment; V – Glue Applicators; V – Veneer Clippers; Wittenberg, WI 54499 V – Veneer Guillotines; V – Veneer Jointers; V – Veneer Splicers

(715) 253-3366, Fax (715) 253-3365

E-Mail: fishruck@frontiernet.net; Web: http://www.fisher-ruckle-sales.com

P-Plywood V-Veneer O-Other

FRANKLIN ADHESIVES & POLYMERS (M)

90 YEARS OF TRUSTED PERFORMANCE – Franklin Adhesives & Polymers, a division of Franklin International, manufactures adhesives used across a wide range of applications in both industry and component manufacturing. Established in 1935, Franklin A&P has built a legacy of innovation and excellence for the decorative hardwood market with practical, hardworking solutions that meet real needs on the plant floor. Our product lines such as Multibond and Advantage offer high performance tailored to your **laminating, assembly, finger jointing, edge & face gluing, and radio frequency operations**. Our in-house product development team, technical service, and account representatives are ready to help you Find Your Franklin Fit.

Visit www.franklinap.com today to connect with our team of adhesive experts.

Corporate Contact: Audrey L. Albright, Technical Marketing Specialist PVO – Adhesives Manufacturer 2020 Bruck St., Columbus, OH 43207 Multibond – X PVA, Liquid

2020 Bruck St., Columbus, OH 43207 (800) 487-4583; Fax: (614) 445-1366

E-mail: audreyalbright@FranklinInternational.com

Web: www.franklinap.com



Advantage – EPI, Emulsion
- Structural and non-structural

Assembly gluing

Edge gluing

Finger jointing

- Laminating

- Component Manufacturing

- Wood-to-wood bonding

P-Plywood V-Veneer O-Other

GRENZEBACH CORP. (M)

Grenzebach offers veneer manufacturers the entire range of plants and machines for veneer drying, from individual dryers with manual feeders to complete veneer drying lines with scanners and stackers. Grenzebach is a specialist in high-quality veneer production and has realized more than 400 plants worldwide. In-depth expertise regarding different veneer types provides customers with an individual fine-tuning of the technology to their requirements. The technologies and services are based on 130 years of experience in efficient raw material processing, which can be traced back to Schilde AG and Babcock BSH, now operating as Grenzebach. They supply complete processing lines to the veneer industry with standard roller dryers, press dryers, belt dryers, sinus belt dryers, feeding systems, unloading systems, stackers, slicers, scanners, and custom AGV transport systems. Furthermore, Grenzebach also specializes in the production of high-grade insulation materials such as flexible wood fiber insulation batts. The first plant was commissioned more than 30 years ago. As a full-service partner, Grenzebach supports its customers with profound know-how and expertise throughout the equipment's entire lifecycle and is serving the North American wood industry since 1988.

USA Sales: Terry Weeks +1 (770) 330-0358

Email: Terry.Weeks@Grenzebach.com

USA Technical: Karl Aicher

+1 (941) 320-1372

Email: Karl.Aicher@Grenzebach.com 10 Herring Road, Newnan, GA 30265

+1 (770) 253-4980

E-mail: Info.GN@Grenzebach.com Web: www.grenzebach.com

V – Dryer Systems; V – Electronic Measuring Machines; V – Feeders;

V – Handling Systems; V – Loaders/Unloaders; V – Stacking Systems;

V – Veneer Lathe-Staylog/Full Round; V – Veneer Scanning Systems;

V – Veneer Slicers







COMPREHENSIVE SOLUTIONS FOR YOUR VENEER DRYING NEEDS

Dryer rebuild services

- » Engineering evaluations and efficiency studies
 » Controls upgrades
- » Complete installation solutions

- » Startup and commissioning support

Grenzebach offers both new dryers and complete dryer rebuild services for applications where this is the most economical option.

Formerly known as **Babcock BSH GmbH**, today we are **Grenzebach BSH GmbH**, serving the North American wood industry since 1988.



P-Plywood V-Veneer O-Other

HEINRICH KUPER GMBH

As a quality leader in veneer and gluing technology, planing and molding machines as well as foil wrapping machines, KUPER offers its customers exactly what they need. Whether it's standard machines or projects. In addition to the machines, KUPER offers a wide range of services and thus always provides a total package of consulting, machines, and services. Due to the comprehensive spare parts management at KUPER, almost all spare parts are permanently in stock. Therefore, avoiding downtime or loss of production.

Webshop: www.kuper.de/shop/en/new-machines/

Heinrich-Kuper-Str. 10-15 Rietberg, Germany 33397 Phone: +49 5244/984-0 Fax: +49 5244/984-201 E-mail: info@KUPER.de Web: www.kuper.de

Sales:

Wilhelm Potthoff Heinrich-Kuper-Str.10-15 Phone:+49 5244/984-726

E-mail: Wilhelm.Potthoff@KUPER.de

Spare Parts: Heiko Seyfert

Heinrich-Kuper-Str.10-15 Phone: +49 5244/984-344 E-Mail:Heiko.Seyfert

P-Plywood V-Veneer O-Other

HEXION INC. (M)

As the world's largest producer of thermoset resins and the leader in adhesive and structural resins and coatings, Hexion Inc. meets customers' specific application needs with a total solutions approach of products and services. Hexion Inc. offers the broadest range of thermoset resin technologies and unmatched technical support and provides them around the globe. With their extensive research and development capabilities and applications know-how, they are uniquely able to work in partnership with customers to co-develop better products and systems.

Order Desk: (866) 443-9466 PV – Additives; P – Extenders; P – Fillers; V – Glue Release Coatings

Web: www.hexion.com PVO - Manufacturer

EPI, Emulsion – non-structural and structural Sales: Performance Adhesives

Bob Kellington Assembly Gluing (503) 358-0317 Edge Gluing

E-mail: bob.kellington@hexion.com HRA rated (Method A) Finger Jointing – vertical studs

> Structural Finger Jointing Hardwood Plywood

Sales: Plywood and LVL Flush Doors

David Dark, Business Dir., N.A. **CARB Phase II Technologies Plastic Laminating**

Cell: (318) 471-7791

E-mail: david.dark@hexion.com **I-Beams**

Laminated Beams Casein Systems **Scarf Jointing Furniture**

Window and Door Component Gluing

Plywood

J.M. LONGYEAR, LLC (D)

J.M. Longyear produces and sells hardwood veneer logs and saw logs.

Kate Miller - Forest Products Manager

210 N. Front Street, 1st Floor, Marquette, MI 49855

(906) 458-2973; Fax: (906) 487-6417 E-mail: katemiller@jmlongyear.com

Web: www.jmlongyear.com; www.northernhardwoods.com; www.jml-forestry.com

P-Plywood V-Veneer O-Other

MEINAN MACHINERY WORKS, INC. (M)

Meinan develops and manufactures innovative machinery for veneer and plywood production, holding hundreds of worldwide patents. The basic concept of peeling veneer was improved by the revolutionary Meinan lathe, using spiked disks to drive logs on their circumference, providing better veneer quality, higher yield, and extremely close thickness tolerance. The Meinan lathe is part of an automatic veneer peeling line with significant labor cost savings, featuring the world's first in-line green veneer composers to reduce labor costs and improve dryer utilization. Meinan's newest development is the 8' green veneer composer, installed in-line to automate the green chain. Meinan also manufactures scarf composers, grading systems, automatic layup lines, and sanders.

Sales Japan: Jimmy Nakaya, Koji Naito

3-130 Kajita-Cho

Obu City, Aichi 474-8543, Japan

011 81 562 472 211; Fax: 011 81 562 48 7300

E-mail: sales@meinan.co.jp

PV – Core Composing Systems; V – Crossfeed Splicers;

PV – Lathe Systems; P – Lay-up Lines; V – Reeling Systems;

PV - Veneer Lathe-Staylog/Full Round; PV - X-Y Chargers

MERRITT MACHINERY, LLC (M)

Merritt has been manufacturing machinery for the production of decorative veneer and plywood for more than 150 years. Merritt rotary and guillotine-style veneer clippers, conveyors, slicers, vacuum flitch tables, and knife carriage control upgrades are in operation worldwide. Our newest innovation is the patented FlitchPrep™ machine for automatically cleaning veneer flitches prior to slicing. We are committed to providing innovative high-tech production machinery backed by first-rate customer service.

Sales: Anna McCann

10 Simonds St., Lockport, NY 14094

(716) 434-5558; Fax: (716) 434-5575

E-mail: amccann@merrittmachinery.com

Web: www.merrittmachinery.com

V – Controls; V – Conveyors; V – Double Sided Flitch Planers;

V – Electronic Measuring Machines; V – Flitch Machines;

 ${\sf V-Handling\ Systems;\ V-Lathe\ Systems;\ V-Reeling\ Systems;}$

V – Stacking Systems; V – Vacuum Systems; V – Veneer Clippers;

Wood Pre-finishing

V – Veneer Guillotines; V – Veneer Jointers;

V – Veneer Lathe-Staylog/Full Round; V – Veneer Slicers

NUMATIC FINISHING CORP. (M)

Numatic Finishing is a full architectural wood pre-finishing plant, finishing doors, millwork, paneling, and casework. They do all types of wood finishes including wood treat, preservative treat, fire treat, custom stains and finishes also priming and painting. They work with architects, designers, and owners to help develop and design custom colors and finishes. They are fully automated with two millwork flat-lines, automated door line curing under infrared heat and two areas for those hot samples and rush orders. In 1999 they purchased their first UV flat line, since then they have added a new UV finishing line with a stain module, wiping systems, and three sanders. They can run LEED-qualified finishes in all areas.

Sales: Mario Vicente (VP)

3132 C Street N.E., Auburn, WA 98002-1790

(253) 939-2391; Fax: (253) 939-2597

(800) 847-5489

Email: Mario@numaticfinishing.com

Inquiries regarding scheduling, job & sample status please contact: jason@numaticfinishing.com

Web: www.numaticfinishing.com

P-Plywood V-Veneer O-Other

PREMIERE FINISHING & COATING (M)

Premiere Finishing & Coating has expanded its capabilities in a major way beyond its Flat Line floor finishing equipment with the installation of two new production lines. The new Makor reciprocating Spray Line / Oven combination can handle just about anything we throw at it - cabinets, cabinet parts, doors, frames, moldings, and anything that doesn't fit on the Flat Line. It is versatile and perfect for any 3D spray requirement, large or small. The UV Panel Line can finish clear, stained, opaque, and primed - we can match any color and finish. It has 6 roll coaters, a filler machine, Miltec UV lights, denibbers, and an in-line sealer sander. Now more than ever, if you can dream it, we can finish it.

Sales: CEO - Jeff Beach - 336.337.5788 - E-mail: jbeach@premierefinishingandcoating.com

Flatline Sales Manager - Larry Holcomb - 336.432.0932 - E-mail: lholcomb@premierefinishingandcoating.com

642 Grooms Road Reidsville, NC 27320 (336) 349-1994

Web: www.premierefinishingandcoating.com

RAUTE CORP. (M)

Raute offers machinery and technologies that serve the wood products industry, focusing on veneer, plywood and LVL production. We offer made-to-fit solutions via our R3, R5 and R7 Series that match your manufacturing production, automation, data compilation and analysis requirements. Together, we create sustainable future by combining leading wood processing expertise with digital production solutions and local know-how.

Sales: Trevor Wendt 1633 Cliveden Ave.

Delta, BC, Canada V3M 6V5

(604) 524-6611; Fax: (604) 521-4035 E-mail: trevor.wendt@raute.com

Web: www.raute.com

PVO – Engineering; PVO – Process Control Systems;

PVO – Consulting-Design/Application; PVO – Controls; PVO – Conveyors;

PVO – Core Composing Systems; V – Dryer Systems; PV – Feeders

PVO – Handling Systems; PVO – Hoists; V – Knives; PV – Lathe Systems;

PVO – Lay-Up Lines; PVO – Loaders/Unloaders; PV – Optimizer Systems;

PO – Overlay Systems; PO – Panel Lines; PV – Patching Lines; PO – Press Equipment;

V – Reeling Systems; PVO – Saw Lines; PVO – Stacking Systems;

PO – Tongue and Groove Machinery; V – Tray Systems; V – Veneer Clippers; V – Veneer Jointers; PV – Veneer Scanning Systems; PV – X-Y Chargers

ROCKET INDUSTRIAL (D)

At Rocket Industrial we share your passion for wood products, and the natural environment that provides them. Our mission to Package with Less™ includes a commitment to sustainability and minimizing waste. We have played a supportive role in veneer production for decades, providing the world's best veneer tapes, glue thread, poly strapping, sheeting, pallet covers, and moisture barriers. The same absolute precision that goes into manufacturing your veneers guides the manufacturing and distribution of Rocket Industrial's veneer tapes, glues and poly products.

Sales: Wes Hoffman

200 Washington St., Suite 220

Wausau, WI 54403 (800) 826-4405

E-mail: whoffman@rocketindustrial.com
Web: www.rocketindustrial.com

P-Plywood V-Veneer O-Other

SHERWIN-WILLIAMS CO. (M)

Since 1866, Sherwin-Williams has provided manufacturers and finishers with the coatings they need to make their products look better and last longer, while helping their operations meet productivity and sustainability goals. For industrial wood markets, our innovative solutions go beyond coatings to include knowledge, tools, equipment, supplies and industry-leading support. We're more than a coatings provider — let us show you how we will be your coatings solution partner at wood.sherwin-williams.com.

Extensive Coatings and Adhesive Portfolio for:

Flooring
 Architectural Millwork

DoorsWindowsKitchen CabinetsPanelingSidingMillwork

Furniture
 Prefab Buildings

Fence/Gate/Rail
 Wood Finishing Operations

Wood Finishing Job Shops
 Specialty

In addition to coatings Sherwin-Williams provides:

Adhesive Solutions for wood substrates

• Expert on-site technical service

Color and design trend expertise

Design engineering solutions for finishing lines

• Associated equipment sales and repair

Sales: Greg Fuller - Strategic Account Manager

(518) 461-8098

Email: greg.m.fuller@sherwin.com

Marketing: Jameson Maag – Marketing Manager 101 W. Prospect Ave Cleveland, OH 44115 (216) 217-7133

Email: jameson.d.maag@sherwin.com

Web: https://industrial.sherwin-williams.com/na/us/en/industrial-wood.html

P-Plywood V-Veneer O-Other

SIEMER MILLING CO. (M)

Siemer Milling Company is a flour processor headquartered in Teutopolis, IL with other locations in West Harrison, IN and Hopkinsville, KY. GLU-X is produced as a special glue extender for the plywood industry. These extenders are used to control viscosity and spread, improve tack and bonds, conserve resin, reduce downgrades, and facilitate environmental compliance.

Sales: Jay Wallace

P.O. Box 670, Teutopolis, IL 62467 (217) 857-2240; Fax: (217) 857-3092

Cell: (217) 343-9551

E-mail: <u>jwallace@siemermilling.com</u>

Web: www.glu-x.com

PO – Additives; PO – Extenders

ENHANCE PANEL PRODUCTION AND INCREASE PROFITS

All-natural **Glu-X** is a specially formulated wheat-based **adhesive extender** that improves adhesive application in panel production.

- Increase Coverage
- Use Less Adhesive
- Stabilize Viscosity
- Improve Consistency



a Siemer Milling Company



P-Plywood V-Veneer O-Other

SPARTEK INDUSTRIES (M)

SparTek Industries designs, manufactures, installs, and services high quality process machinery and automation solutions, with the latest technology for veneer, plywood, and other engineered wood production. We offer standard and customized solutions for applications including pressing, gluing, sawing, and material handling. Each system is designed using proven solutions and standardized platforms that are configured to meet each customer's unique need. Please contact SparTek to engage in a discussion on how our innovative automation and machine technology can be designed at the highest operating speeds to help your business maximize production efficiencies.

Sales: Seth Petrie - seth.petrie@spartek.com

Service: Bobby Slaughter – bobby.slaughter@spartek.com

Parts: Mike Henry - mike.henry@spartek.com

2221 N Argyle St., Portland, OR 97217 (503) 283-4749; Fax: (503) 289-1621

Web: www.spartek.com

PVO - Automation; **PVO** - Consulting-Design/Application; **PVO** - Controls; **PVO** - Conveyors; **PVO** - Custom Parts; **PVO** - Drive Chains;

PVO – Engineering; **PVO** – Engineering Surveys/Performance

Evaluations; **PVO** – Feeders; **PVO** – Glue Applicators; **PVO** – Handling Systems;

PVO – Hoists; **PVO** – Hydraulic Cylinders; **PVO** – Hydraulic Power Units;

PVO - Install Support/Start Up; PVO - Layup Lines;

PVO – Loaders/Unloaders; PVO – Panel Manufacturing Lines; PVO – Machine Prototyping; PVO – Maintenance Services; PVO – Press Equipment; PVO – Repair Services; PVO – Saw Lines;

PVO - Stacking Systems; PVO - Training

PO - Adhesives; PO - Extenders

BreezeBond[™] – Soy Adhesive, Liquid, Powder

SPECIALTY ORGANICS, INC. (M)

Specialty Organics is a diversified American chemical company. Our BreezeBond[™] adhesive is the most-advanced plant-based hot-press adhesive technology available today. Going beyond existing plant-based adhesive technology, this water-based product utilizes an abundant inorganic cross-linker. Not only is this product formaldehyde-free, BreezeBond[™] also contains no harmful petrochemicals. This complaisant shelf-life product meets industry wet bond strength standards for indoor plywood applications with its attributes having been verified by independent third-party laboratories. This adhesive is ideal for furniture, cabinetry components, as well as decorative accent panels. It is price-competitive with traditional hot-press adhesives on the market today and requires minimal capital investment to begin using. BreezeBond[™] is made in the USA and is not directly affected by volatile oil markets because its main ingredient is soy flour. It can also be effectively used as an extender, blending well with other water-based hot-press adhesives to reduce the cost of other forest product applications such as particleboard and decorative overlays/veneers.

Sales: Joseph Seruto, James Seruto and Andrew Ramirez

Adelanto, CA 92301-3915

16276 Koala Road

Office: (760) 246-9000

 $\textbf{E-mail:} \ \underline{joseph@soichem.com}, \ \underline{james@soichem.com}; \ \underline{andrew@cherrywood.partners.com}$

Web: www.soichem.com

P-Plywood V-Veneer O-Other

STILES MACHINERY (M)

Stiles Machinery, a proud member of the HOMAG Group, offers complete-system, best-in-class machinery solutions for the primary manufacture and secondary fabrication of all Solid Wood and Engineered Wood Products, and for off-site Building Automation systems. This includes infeed and outfeed material handling from lumber grading, scanning, and finger-jointing to high-speed pressing and CNC fabrication of structural Mass Timber Beam and Panels, as well as sawing, sanding, moulding, edgebanding, and CNC machining for the Solid-Wood and Composite Panel Industries. Backed by the nation's largest team of 24-hour service and support specialists, an extensive inventory of ready-to-ship parts, and the industry's only nationally accredited workforce training program, Stiles offers world-class solutions. Contact Stiles today to learn more about how we can partner with you.

Sales: Matt Ellis 3965 44th Street, SE Grand Rapids, MI 49512 Mobile: 616-498-5110

Email: mellis@stilesmachinery.com Web: www.stilesmachinery.com

TAIHEI MACHINERY WORKS, LTD. (M)

Taihei Machinery is a leading manufacturer of veneer and plywood equipment, especially horizontal hot presses up to 140 openings and jet roller dryers. Taihei is the leader in today's knife grinding and honing technologies. In Sep 2016, we opened a showroom of knife grinder and knife honer in Oregon State. We would be happy to have you visit our showroom, where we can grind you company's knives and then arrange for peeling tests at your facilities.

Sales Japan: Sam Matsuoka 955-8, Miyamae, Irukade-Shinden Komaki City, Aichi, Japan 485-0084 +81-568-73-6431; Fax: +81-568-73-6414

E-mail: h matsuoka@taihei-ss.co.jp

Web: www.taihei-ss.co.jp

 ${\sf P-Glue\ Applicators;\ PV-Knife\ Grinders;\ PV-Press\ Equipment;}$

PV – Reeling Systems; P – Saw Lines; PV - Dryers

PV – X-Y Charger

Showroom location: 29322 Airport Road, Eugene, OR

VENANGO MACHINE COMPANY, INC. (M)

14118 Route 8-89 Wattsburg, PA 16442

(814) 739-2211; Fax: (814) 739-2024 Web: <u>www.venangomachine.com</u>

VINAVIL AMERICAS (M)

Vinavil is a leading global company in the production of wood adhesives; formaldehyde free adhesives, pressure sensitive a. We manufacture high performing, environmentally friendly adhesives, and other resins for Paints, Coating, Construction and specialty applications in 5 locations including Laval QC (Canada) and West Chicago IL.

Sales: Hemant Shah, Business Director 1144 East Newport Center Drive Deerfield Beach, FL 33442

(954) 415-2454; Fax: (954) 246-8800

Email: hjshah@vinavil.com
Web: www.vinavil.com/us

VO – Adhesives Manufacturer

P-Plywood V-Veneer O-Other

WEST FRASER (M)

West Fraser, the world's largest producer of Oriented Strand Board, is now producing Industrial Core for the most demanding of applications such as Hardwood Plywood and Engineered Flooring. West Fraser's mills are strategically located throughout North America near key manufacturing operations such as yours. West Fraser offers an array of dimensions and finishes that help to improve your yield and throughput. West Fraser's Engineered Strand Panels (E.S.P.) blend many of the attributes of the traditional cores you are familiar with in one exciting new hybrid core. Reach out to West Fraser today and get introduced to our Solutions Team that will work with your team to provide service, quality and supply second to none.

Sales: Blair S. Ruzicka

1 Toronto Street, Suite 600, Toronto,

ON M5C 2W4, Canada

(470) 201-7660; Fax: 1-866-791-3334 E-mail: <u>ruzickab@westfraser.com</u> Web: <u>www.westfraser.com</u> O - Manufacturer

WESTMILL INDUSTRIES USA CORP. (M)

Westmill Industries has been serving the Plywood and Veneer industry since 1975. Recognized as a leader in veneer drying technologies, Westmill supplies new veneer dryer systems, material handling equipment and remodels/rebuilds existing dryers. Westmill is considered the most innovative Dryer Technology company today and we have a large installation base of new and rebuilt veneer dryers throughout North America, South America, and New Zealand. We are the largest stocking supplier of all makes of dryer parts in the world at our headquarters in Abbotsford, BC, with additional warehouses in Eugene, OR and Atlanta, GA.

Sales: George Harmati 30640 Marshall Road Abbotsford, BC, Canada V2T 6J7 (604) 607-7010; Fax: (604) 607-7099 Toll free number: (877) 607-7010.

E-mail: sales@westmill.com
Web: www.westmill.com

PV – Engineering; PVO – Process Control Systems; V – Dryer Systems;

V - Electronic Measuring Machines; PV - Handling Systems; PV - Hoists;

V - Loaders/Unloaders; PV - Stacking Systems; V - Vacuum Systems

ASSOCIATE MEMBERS

AFRY MANAGEMENT CONSULTING

295 Madison Ave., Suite 300, New York, NY 10017 (646) 715-3928 Guillermo Velarde

Web: https://afry.com/en/competence/wood-products-0

ARMSTRONG WORLD INDUSTRIES, INC.

2500 Columbia Avenue, Lancaster, PA 17603 1 (877) 276-7876

Web: www.armstrongceilings.com

NORTH CAROLINA STATE UNIVERSITY

411 Dan Allen Drive Raleigh, NC 27695 (919) 515-2881 JT Chappell

Web: https://research.cnr.ncsu.edu/wptechservices/

ALTAMONT COMPANY

901 N. Church St., Thomasboro, IL 61878 (217) 643-3125; Fax: (217) 643-7973

Merlin Enright

Web: www.altamontco.com

KIMBALL INTERNATIONAL, INC.

Manufacturer of Fine Office and Hospitality Furniture 1155 W. 12th Avenue, Jasper, IN 47549 (800) 482-1616; Fax: (812) 482-8804

Web: www.kimball.com

PATRICK INDUSTRIES

107 W. Franklin Street Elkhart, IN 46516 (800) 331-2151

Web: www.patrickind.com



Innovative
Solutions for
the Engineered
Wood Products
Industry.

Hexion is a world leader in supplying resins, adhesives, wax emulsions, and ancillary products to the engineered wood and hardwood veneer products industries. We meet the most challenging applications with a complete package of innovative, costeffective solutions. We're also at the forefront in developing environmentally suitable technologies for reduced emissions.

Product Lines

- Urea Resins
- Melamine Resins
- Phenolic Resins
- Phenol-Resorcinol Resins
- PVA Adhesives –Conventional and Cross Link
- Casein Adhesive
- EcoBind™ Ultra-low Emitting Resin andAdhesive Technologies
- EPI Adhesive
- HRA Technology (Heat Rated Adhesives)

Applications

- Veneer Splicing
- Composite
- Panels
- Hardwood Plywood
- Furniture
- Laminating
- Saturating
- All Woodworking Applications
- Fingerjointing Structure and Non-structural Adhesives

Sales Offices

- Alexandria, LA +1 318 445 6115
- High Point, NC +1 336 884 8918
- Portland, OR +1 503 286 3653
- Springfield, OR +1 866 443 9466

Visit us at Hexion.com






ADHESIVE MANUFACTURERS

	ADHESIV	Ε	١	Λl	Д	N	U	F	Α	١C	T	-(JF	RI	ΞΙ	R	S											
NAME AND LO	FORM APPLICATION																											
HEXION INC. (866) 443-9466 Order Desk Web: www.hexion.com Sales: Performance Adhesives Bob Kellington (503) 358-0317 E-mail: bob.kellington@hexion.c Sales: Plywood and LVL David Dark, Business Dir., N.A. Cell: (318) 471-7791 E-mail: david.dark@hexion.com	<u>om</u>	EMULSION	רומחום	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
BRAND NAME	TYPE	EM	βI	PO	SO	AS	BO,	ED	EX.	FIL	A	FLL	HAI	HAI	Ā	LAI	LAI	MO	SO	PAI	PAI	PAI	PAI	PL/	SC,	TAF	VEI	WA
Casco	Casein			Χ								X	Χ		Χ									Χ				
Cascamite Splicer Adhesives	Urea Powder			Χ]	Χ	
Cascamite General Purpose Adhesives	Urea Powder			Χ		X		Χ				Χ	Χ		Χ					Χ		Χ		Χ	Χ			
Casco Resin	Modified Urea Resins		Χ			Х		Χ				X	Χ		Χ							Χ		Χ				
Casco Resin	Urea Resins – Plywood		Χ			X		Χ		X	Х	Χ	Χ		Χ					Χ	Х	Χ		X	Х			
Casco Resin	Urea Resins – Particleboard		Х																				Х				1	
Cascophen	Phenolic – Hardboard		Х											Χ														
Cascophen	Resorcinol, Phenol- Resorcinol		Х			X	Х	X	Х				Х			Χ						Х		Х	Х			
Cascophen	Phenolic		Х						Х										Х									Χ
Cascorez	Polyvinyl Acetate	Χ				Χ		Χ		Χ	Х	Χ	Х		Χ					Χ	Х	Χ		Х	Х		Х	
Cascomel	Melamine		Χ			Ī			Х	Χ	Х																	
Cascomel	Melamine			Χ		Χ		Χ	Х	X	Х										Χ			Χ	Х			
Cascomel	Melamine Urea			X		X		Χ	Χ		Χ		Х								Х			Χ	Χ			
Cascowax	Wax Emulsion		Χ										Х						Χ			Χ						Χ
Paper Overlay Resins	Urea – Paper Overlay		Χ							Χ			Х								Х							
Wonderbond	Cross Link PVA	Χ				X		Χ	Χ		Χ	Χ	Χ		Χ					Χ		Χ		Χ	Х			
Wonderbond	Precatalyzed Cross Link PVA	X				X		X			Х	X	X		Χ					X		Χ		X	Χ			
XB-9000 Series	Thermoset Emulsions	X	Х	1		1		X	Х		Х																	Ī

	ADHESIV	Έ	I	ΛI	Ą	N	U	IF	Α	νC	T	-ر	JF	RE	ĒF	25	3										
NAME AND LOG OF COMPA	F	-О	R۱	APPLICATION																							
FRANKLIN ADHESIVES AND PO 2020 Bruck Street Columbus, OH 43207 (800) 487-4583; Fax: (614) 445- Audrey L. Albright, Technical Ma E-mail: audreyalbright@franklinir Web: www.franklinap.com	1366 rketing Specialist	EMULSION	LIQUID	POWDER	SOLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAWINATED VENEED I MADED	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
Multibond	X PVA		Χ			Χ		Χ			Χ	Χ		_	Κ				Χ	Χ						Χ	
Advantage	EPI	X				X	Χ	X			Χ	X		2	(X								

SPECIALTY ORGANICS, INC. 16276 Koala Road Adelanto, CA 92301-3915 (760) 246-9000 Joseph Seruto & James Seruto E-mail: joseph@soichem.com james@soichem.com Web: www.soichem.com	TYPE	EMULSION	LIQUID	POWDER	OLID	ASSEMBLY GLUING	BOATS (MARINE USES)	EDGE GLUING	EXTERIOR PLYWOOD	FILMS & PAPER OVERLAYS	FINGER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER LUMBER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
BreezeBond™	Soy Adhesive		Χ											Χ	Χ		Χ				Χ	Χ	Χ					
																								<u> </u>			Ш	<u> </u>
																						1		1			1 1	

VINAVIL AMERICAS 1144 East Newport Center Drive Deerfield Beach, FL 33442 (954) 415-2454; Fax: (954) 246-88 E-mail: hjshah@vinavil.com Web: www.vinavil.com/US BRAND NAME	300 TYPE	EMULSION	רוסחום	POWDER	SOLID	ASSEMBLY GLUING		EDGE GLUING	EXTERIOR PLYWOOD	GER JOINTING	FLUSH DOORS	HARDBOARD	HARDBOARD BINDER	INTERIOR PLYWOOD	LAMINATED TIMBERS	LAMINATED VENEER	MOLDED PRODUCTS	OSB BINDER	PANEL TO FRAME	PAPER TO WOOD	PARTICLEBOARD	PARTICLEBOARD BINDER	PLASTIC LAMINATING	SCARF JOINTING	TAPELESS SPLICING	VENEER SPLICING	WAFERBOARD BINDER
Vinavil	X PVA	X				X	,	X		Х	X			Χ	Χ	Χ			Χ								



Danzer is close to you, and close to the source. Our experts understand their business and know where to procure sustainable hardwood that is right for you. We are committed to your specific needs and provide you with tailored solutions that ensure your success every time. **www.danzer.com**





DECORATIVE HARDWOODS

Association™

EXPAND YOUR OPPORTUNITIES: BECOME ADHA MEMBER

Let's talk.

To apply, visit www.decorativehardwoods.org/about and click on "join now", or contact us to find out more.

We look forward to hearing from you.

(703) 435-2900

resources@decorativehardwoods.org www.decorativehardwoods.org Founded in 1921, Decorative Hardwoods
Association represents the hardwood plywood,
hardwood veneer, and engineered hardwood
flooring industries. Together, we produce 90% of
the hardwood plywood stock panels and hardwood
veneer manufactured in North America.



REAP THE BENEFITS OF MEMBERSHIP IN DHA

ADVOCACY Influence government actions and regulations that affect your company's bottom line. We work hard to ease the burden of regulations that undermine your ability to compete.

STANDARDS We lead, update, and publish consensus standards to help keep you at the top of your game.

NETWORKING Meet your buyers, distributors, and suppliers faceto-face at our annual conference.

CONTINUING EDUCATION Leverage our wide variety of resources, education, and standards—many of which are free—for your company and your team.

REGULAR UPDATES Twice per month, you'll receive the DHA email newsletter to help keep you current on the most important industry trends, opportunities, and developments.

SUPPORT Consult with DHA's experienced staff of technical experts, and enjoy discounts on best-in-class product testing and certification.

MARKETING Reach thousands of decision makers in the industry by advertising in DHA publications and email updates. Ads are restricted to members only.